

**VOSTER**®



EDITION 2024/2025



# VOSTER<sup>®</sup>

## PROFESSIONAL CYCLING TEAM

Voster ATS Team is a professional cycling team of the third-division (UCI Continental Team), sponsored by Voster since 2016. The team consists of 10 professional riders competing in road cycling events across Europe. Each year, the team participates in races in several countries across the Old Continent, always representing the white and green colours. The team regularly ranks among the top in the international Continental Teams ranking and has earned a reputation as one of the best teams in Europe. Since the team's inception, the cyclists have achieved 46 victories and stood on the podium 153 times. Each of these accomplishments is a shared success – of the riders and the Voster company.



# TABLE OF CONTENTS



**KANO**  
frame door leaf  
p. 22-23


<b>INTERIOR DOOR LEAVES</b>		
<b>FRAME DOOR LEAVES</b>		
▪ INFORMATION	10-13	
<b>NON-REBATED FRAME DOOR LEAVES</b>		
▪ LOFT	14-15	
<b>COOLORS COLLECTION</b>		
▪ RUMBA	16-17	
<b>NON-REBATED/REBATED FRAME DOOR LEAVES</b>		
▪ RUMBA	20-21	
▪ KANO <b>NEW</b>	22-23	
▪ FADO <b>NEW</b>	24-25	
▪ UVERO <b>NEW</b>	26-27	
▪ VARADERO <b>NEW</b>	28-29	
▪ PIANO	30-31	
▪ TAGO	32-33	
▪ VANILLA	34-35	
▪ ETNA	36-37	
▪ MEDIOLAN	38-39	
▪ MOBI	40-41	
▪ BERGAMO	42-43	
▪ EVI	44-45	
▪ KAMPO	46-47	
▪ VINCI	48-49	
▪ BELLO	50-51	
▪ KUBUS, LUPUS	52-53	
▪ MURANO	54-55	
▪ MARS	56-57	
▪ VICAR	58-59	
▪ TOLEDO	60-61	
▪ PRIX	62-63	
▪ LATINO	66-67	
▪ LUGO	68-69	
▪ NEUTRA	70-71	
▪ TIGA	72-73	
▪ TANGO	74-75	
▪ BRANDY	76-77	
▪ ROCCO	78-79	
▪ ZITRON	80-81	
▪ ANTARES	82-83	
<b>REBATED FRAME DOOR LEAVES</b>		
▪ DUO	84-85	
▪ DELLA	86-87	
<b>PLATINIUM COLLECTION</b>		
▪ INFORMATION	90-91	
▪ MODEL Q	92-93	
▪ MODEL X	94-95	
▪ MODEL Y	96-97	
▪ MODEL V	98-99	
<b>GLASS DOOR LEAVES</b>		
▪ MONO	100-101	
▪ VENTO II, VENTO IV, VENTO SPAGHETTI	102-103	
▪ PLATO	104-105	
<b>PANEL DOOR LEAVES</b>		
▪ INFORMATION	106-107	
▪ FULL PLAIN	108-109	
▪ REVERSE	110-111	
▪ SARA PRO	112-113	
▪ SARA PRO H220	114-115	
▪ DOOR FRAME, HIDDEN SYSTEM SARA PRO	116-117	
▪ MODERNO	118-119	
▪ MAGNETIC	120-121	
▪ LAMELO	122-123	
<b>FULL PLAIN H220</b>		124-125
<b>INTARSIA</b>		126-129
<b>PERLA</b>		130-131
<b>BULAJ</b>		132-133
<b>FOLDING</b>		134-135
<b>VARNISHED DOOR LEAVES</b>		
<b>PLAIN, TORINO</b>		136-137
<b>KORA, METRIX, SOFIA, MILANO, ALBA</b>		138-139
<b>SLIDING SYSTEMS</b>		
<b>SINGLE FRAMELESS CASSETTE</b>		140-141
<b>ALUMINIUM SINGLE POCKET SLIDING DOOR SYSTEM</b>		142-143
<b>ALUMINIUM DOUBLE POCKET SLIDING DOOR SYSTEM</b>		144-145
<b>SINGLE WALL-MOUNTED SLIDING SYSTEM</b>		146-147
<b>DOUBLE WALL-MOUNTED SLIDING SYSTEM</b>		148-149
<b>SYSTEM LOFT GLASS</b>		150-151
<b>SYSTEM LOFT LINE</b>		152-153
<b>WALL-MOUNTED ALUMINUM SYSTEM</b>		154-155
<b>MAGPLUS</b>		156-157
<b>INTERIOR ENTRANCE DOORS</b>		
<b>MAXUS RC2 <b>NEW</b></b>		158-161
<b>SOLLER</b>		162-165
<b>SELVA</b>		166-169
<b>SELVA LACO</b>		170-171
<b>EXTENSION PANELS <b>NEW</b></b>		172-173
<b>DOOR FRAME FOR: MAXUS RC2, SOLLER, SELVA</b>		174-177
<b>FIRE-RESISTANT INTER EI30, EI60</b>		178-181
<b>FIRE-RESISTANT INTER EI30, EI60 DOUBLE DOOR</b>		182-183
<b>DOOR FRAMES</b>		
<b>NON-REBATED ADJUSTABLE DOOR FRAME V-RETTO</b>		184
<b>NON-REBATED ADJUSTABLE DOOR FRAME V-RETTO 220</b>		185
<b>NON-REBATED FIXED DOOR FRAME</b>		186
<b>REVERSE DOOR FRAME</b>		187
<b>REBATED ADJUSTABLE DOOR FRAME V-RETTO STANDARD</b>		188
<b>REBATED ADJUSTABLE DOOR FRAME V-RETTO STANDARD 220</b>		189
<b>ADJUSTABLE STANDARD DOOR FRAME</b>		190-191
<b>CASING DOOR FRAME</b>		192
<b>FIXED DOOR FRAME</b>		193
<b>STEEL DOOR FRAME</b>		194
<b>TOP PANEL FOR V-RETTO AND REVERSE ADJUSTABLE FRAME</b>		196
<b>TOP PANEL FOR STANDARD ADJUSTABLE FRAME</b>		197
<b>ACCESSORIES</b>		
<b>OPENWORK, BAND 100 OR, PROTECTION PANEL, FLOOR MOULDING TRIMS, DECORATIVE LAMELLAS, DOOR HANDLES, HINGE COVERS, BLACK HINGES FOR REBATED DOORS LEAVES, VENTILATION SLEEVES, CYLINDERS, AUTOMATIC THRESHOLD, HOLDERS FOR SLIDING DOOR LEAVES, DOOR CLOSER, SYNCH TO THE SLIDING SYSTEM, SEALS, MASKING BANDS, QUARTER ROUNDS, ELECTRIC STRIKE</b>		198-211
<b>TECHNICAL INFORMATION</b>		212-225

# TYPES OF COATING

## PLATINIUM



**Platinum:** A foil with a polypropylene finish. Resistant to stains, scratches, and abrasion. Easy to clean, flexible. Exceptional print quality: a unique combination of embossing and printing, replicating the natural wood structure.



white matt



bianco



grau – similar to NCS: S2000-N\*\*



cashmere



arctic oak



latte oak



Bawaria oak



clay – similar to NCS: S6020-Y90R\*\*



copper



still **NEW**



carbon oak \*



black matt

\* decor available while stocks last  
 \*\* no direct RAL/NCS 1:1 equivalent, the closest NCS equivalent is not 100% accurate

## CPL



**CPL:** high resistance to abrasion, scratches, light. Wood structure.



caramel oak CPL **NEW**



aurea oak CPL **NEW**



polar oak CPL



ash CPL




sand oak CPL



oak CPL

## 3D



**3D Foil:** three-dimensional effect. A unique imitation of the appearance and texture of wood, not found in other products.



Norwegian oak



Canadian oak



Montana oak



white walnut



acacia morava




sonoma oak



Oregon oak




oil oak




silver oak FOL

colour available only for panel door leaves




# EXPLANATION OF ICONS



Finish foil: Timeless design, matt finish.

## COLOURS COLLECTION



\* decor available while stocks last

\*\* no direct RAL/NCS 1:1 equivalent, the closest NCS equivalent is not 100% accurate

# ADVANTAGES – NON-REBATED FRAME DOOR LEAVES

high resistance to mechanical impact

solid construction, two concealed hinges 3D, adjustable in three planes, third hinge - optional at extra charge




internal cross-section


solid, massive stiles construction



rigid, stable structure



the door leaf flush with the frame creates an integrated, aesthetic surface



tempered glass

magnetic lock - quiet closing



no glazing bead



wooden dowels and stabilising fether



# ADVANTAGES – REBATED FRAME DOOR LEAVES

high resistance to mechanical impact

solid construction - 3 screw-in pintle hinges



internal cross-section

solid, massive stiles construction



rigid, stable structure



soft rebate, innovative way to cover stiles: no edge



tempered glass

no glazing bead



profile - brushed aluminium



wooden dowels and stabilising fether



# NON-REBATED FRAME DOOR LEAVE



## CONSTRUCTION

- **NON-REBATED** FRAME DOOR LEAVE
- STILES MADE OF MDF BOARD

## FINISH

- COVERED LEAF
- FF FINISH FOIL | - 3D FOIL | - CPL LAMINATE | - PP PLATINIUM



## HARDWARE

- TWO **CONCEALED HINGES** 3D SILVER OR BLACK
- **MAGNETIC LOCK** SILVER OR BLACK WITH KEY, CYLINDER LOCK OR BATHROOM LOCK
- BLACK HINGES AND BLACK LOCK AT NO EXTRA CHARGE



## AVAILABLE WIDTHS

- „60“, „70“, „80“, „90“

- **DOOR LEAF AVAILABLE IN CZECH NORM**



TECHNICAL INFORMATION P. 212 - 219



## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- **VENTILATION UNDERCUT**
- **RECUPERATIVE SHORTCUT**
- **PVC VENTILATION SLEEVES** (not applicable to the COLOURS collection)
- **BRASS VENTILATION SLEEVES**
- **"100" DOOR LEAF** (for this leaf size, it is recommended to use a 3rd hinge)
- **AUTOMATIC THRESHOLD**
- **THIRD HINGE** (additional charge added to the door frame)
- **BLACK HINGE CAPS** (for door leaf and adjustable door frame)
- **DOUBLE-LEAF DOOR** leaf price x2 + surcharge
- **DARK GREY GLASS** (there is a smooth side and a matt side) available for models: TIGA, BRANDY, VINCI, MOBI, VANILLA, ETNA, BERGAMO
- **WHITE VSG GLASS** - safe glass, smooth on both sides
- **BLACK VSG GLASS** - safe glass, smooth on both sides
- **SLIDING DOOR LEAF (ACCORDING TO THE DIMENSIONS OF THE REBATED DOOR LEAVES),** additional charge added to the rebated leaf



# REBATED FRAME DOOR LEAVES



## CONSTRUCTION

- **REBATED** FRAME DOOR LEAVES
- STILES MADE OF MDF BOARD
- THE WIDTH OF VERTICAL STILES IS 14 CM

## FINISH

- COVERED LEAF
- FF FINISH FOIL | - 3D FOIL | - CPL LAMINATE | - PP PLATINIUM



## HARDWARE

- THREE SCREW-IN **PINTLE HINGES**
- KEY LOCK, CYLINDER LOCK OR BATHROOM LOCK



## AVAILABLE WIDTHS

- „60“, „70“, „80“, „90“

- **DOOR LEAF AVAILABLE IN CZECH NORM**



TECHNICAL INFORMATION P. 212 - 219



## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- **VENTILATION UNDERCUT**
- **RECUPERATIVE SHORTCUT**
- **PVC VENTILATION SLEEVES**
- **BRASS VENTILATION SLEEVES**
- **"100" DOOR LEAF**
- **AUTOMATIC THRESHOLD**
- **DOUBLE-LEAF DOOR** leaf price x2 + surcharge
- **DOOR LEAF IN THE SLIDING VERSION**
- **BLACK HINGES** for door leaf and adjustable as well as fixed reinforced door frame with socket (not applicable to Czech norm and UVERO, VARADERO, Q, X, Y, V MODELS)
- **DARK GREY GLASS** (there is a smooth side and a matt side) available for models: TIGA, BRANDY, MOBI, VINCI, VANILLA, ETNA, MODEL Q, MODEL X, MODEL Y, BERGAMO
- **WHITE VSG GLASS** - safe glass, smooth on both sides
- **BLACK VSG GLASS** - safe glass, smooth on both sides





# LOFT

## STANDARD



MAGNETIC LOCK



CONCEALED  
HINGES



AVAILABLE  
WIDTHS



TEMPERED GLASS  
4 mm



TECH. INFO.  
P. 212 - 219



CZECH  
STANDARD DOES  
NOT APPLY TO  
LOFT 20, 30

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

"100" DOOR LEAF (not applicable to LOFT 20, 30)

AUTOMATIC THRESHOLD

THIRD HINGE (additional charge added to the door frame)

BLACK HINGE CAPS for non-rebated doors

VSG GLASS, LOFT 40, 50, 60, 70

SLIDING DOOR LEAF



VOSTER®

PRESENTED DECOR: WHITE MATT. NON-REBATED DOOR LEAF. V-RETTO FRAME.

## AVAILABLE DECORS:

FINISH - COVERED LEAF: PP PLATINIUM



black matt



white matt



Bawaria oak

(decor available  
for LOFT 20, 30,  
60, 70, 90)


LOFT 10, 40, 50 MDF MUNTINS IN LEAF COLOUR  
PLACED ON GLASS SURFACE

LOFT 20, 30 WITH BLACK APPLICATION PAINTED  
ON THE GLASS (colour of the application cannot  
be changed).


POSSIBILITY OF MAKING A DOOR LEAF  
FOR THE LOFT LINE SLIDING SYSTEM,  
TECHNICAL INFORMATION P. 152-153.  
THE LOFT COLLECTION ARE NOT AVAILABLE  
FOR DOUBLE DOOR.



LOFT 10  
NON-REBATED  
TRANSPARENT  
GRAPHITE GLASS




LOFT 20  
NON-REBATED  
TRANSPARENT  
GLASS, BLACK  
APPLICATION




LOFT 30  
NON-REBATED  
TRANSPARENT  
GLASS, BLACK  
APPLICATION




LOFT 40  
NON-REBATED  
WHITE PAINTED  
GLASS




LOFT 50  
NON-REBATED  
BLACK PAINTED  
GLASS



LOFT 60  
NON-REBATED  
WHITE PAINTED  
GLASS



LOFT 70  
NON-REBATED  
BLACK PAINTED  
GLASS



LOFT 90  
NON-REBATED  
TRANSPARENT  
GLASS



NON-REBATED  
FRAME DOOR  
LEAF

# colors

VOSTER®

# RUMBA

## STANDARD



MAGNETIC  
LOCK



CONCEALED  
HINGES



norm  
PL/CZ



AVAILABLE  
WIDTHS



TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE (additional charge added to the door frame)

BLACK HINGE CAPS for non-rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF



PRESENTED DECOR: PANAMA. NON-REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL



Havana



Bahama



Panama



RUMBA  
NON-REBATED



RUMBA  
NON-REBATED






RUMBA  
NON-REBATED



caramel oak



*A sweet touch of elegance*





NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# RUMBA

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2  
CONCEALED  
HINGES



60/70  
80/90  
AVAILABLE  
WIDTHS



3  
PINTLE  
HINGES



TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGES for rebated doors

BLACK HINGE CAPS for non-rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

NON-REBATED DOOR LEAF



VOSTER®

PRESENTED DECOR: CASHMERE. REBATED DOOR LEAF, V-RETTO FRAME. BLACK HINGES - AT EXTRA CHARGE.

## AVAILABLE DECORS: FINISH - COVERED LEAF: 3D FOIL, CPL LAMINATE, PP PLATINIUM



Palermo  
walnut



Paris



NEW  
caramel oak  
CPL



white matt



grau



cashmere



clay




NEW  
still




black matt



RUMBA  
REBATED



RUMBA  
REBATED



RUMBA  
REBATED



RUMBA  
REBATED



RUMBA  
REBATED



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# NEW KANO

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2  
CONCEALED  
HINGES



60/70  
80/90  
AVAILABLE  
WIDTHS



3  
PINTLE  
HINGES



TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors


BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

NON-REBATED DOOR LEAF




VOSTER®

PRESENTED DECOR: CARAMEL OAK. REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: CPL LAMINATE, PP PLATINIUM



caramel oak CPL   aurea oak CPL   polar oak CPL   sand oak CPL   oak CPL



white matt   bianco   arctic oak   grau   cashmere   latte oak   Bawaria oak   clay



KANO  
REBATED



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

**NEW**  
**FADO**

**STANDARD**



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



CONCEALED  
HINGES



PINTLE  
HINGES



AVAILABLE  
WIDTHS



norm  
PL/CZ



TECH. INFO.  
P. 212 - 219

**AVAILABLE OPTIONS AT AN EXTRA CHARGE**

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGES for rebated doors

BLACK HINGE CAPS for non-rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

NON-REBATED DOOR LEAF



PRESENTED DECOR: WHITE MATT. REBATED DOOR LEAF, V-RETTO FRAME, BLACK HINGES - AT EXTRA CHARGE.

**AVAILABLE DECORS:** FINISH - COVERED LEAF: CPL LAMINATE, PP PLATINIUM



**FADO**  
REBATED



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# NEW UVERO

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2  
CONCEALED  
HINGES



3  
2-PINTLE  
HINGES



AVAILABLE  
WIDTHS



TECH. INFO.  
P. 212 - 219



UVERO 20  
DARK GREY  
GLASS

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE COVERS for rebated door leaves
- BLACK HINGE CAPS for non-rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- NON-REBATED DOOR LEAF
- WHITE VSG GLASS (UVERO 10)
- BLACK VSG GLASS (UVERO 20)



VOSTER®

PRESENTED DECOR: AUREA OAK. REBATED DOOR LEAF, V-RETTO FRAME, BLACK HINGE COVERS - AT EXTRA CHARGE.

## AVAILABLE DECORS: FINISH - COVERED LEAF: CPL LAMINATE, PP PLATINIUM



UVERO 10



UVERO 20  
DARK GREY GLASS



Central panel made of black-colored board, the panel rebate has no edging, the front of the panel is covered with decor matching the color of the door leaf.



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# NEW VARADERO

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2 CONCEALED  
HINGES



AVAILABLE  
WIDTHS



2-PINTLE  
HINGES



norm  
PL/CZ



TECH. INFO.  
P. 212 - 219



VARADERO 20  
DARK GREY  
GLASS

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE COVERS for rebated door leaves
- BLACK HINGE CAPS for non-rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- NON-REBATED DOOR LEAF (leaf price x2 + surcharge)
- WHITE VSG GLASS (VARADERO 10)
- BLACK VSG GLASS (VARADERO 20)



PRESENTED DECOR: WHITE MATT. REBATED DOOR LEAF, V-RETTO FRAME, BLACK HINGE COVERS - AT EXTRA CHARGE


## AVAILABLE DECORS: FINISH - COVERED LEAF: CPL LAMINATE, PP PLATINIUM



VARADERO 10



VARADERO 20  
DARK GREY GLASS



Central panel made of black-colored board, the panel rebate has no edging, the front of the panel is covered with decor matching the color of the door leaf.



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# PIANO

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



CONCEALED  
HINGES



TECH. INFO.  
P. 212 - 219



AVAILABLE  
WIDTHS



TEMPERED  
GLASS  
4 mm



norm  
PL/CZ

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- AUTOMATIC THRESHOLD
- BLACK HINGES for rebated doors
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- VSG GLASS (applies only to white painted glass)
- NON-REBATED DOOR LEAF




VOSTER®

PRESENTED DECOR: WHITE MATT. REBATED DOOR LEAF, V-RETTO FRAME.


## AVAILABLE DECORS: FINISH - COVERED LEAF: PP PLATINIUM




Stick-on muntins,  
black or in leaf colour



PIANO 10  
REBATED




PIANO 20  
REBATED



PIANO 30  
REBATED



PIANO 40  
REBATED



PIANO 40  
REBATED



PIANO 50  
REBATED

The standard door leaf is made with a white painted glass and muntins in the colour of the door leaf. Changing the muntis colour to black or the type of glass to transparent does not affect the price.



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# TAGO

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2 CONCEALED  
HINGES



3 PINTLE  
HINGES



AVAILABLE  
WIDTHS



TECH. INFO.  
P. 212 - 219

WIDTH OF THE VERTICAL  
STILES AND TOP RAIL  
160 mm, BOTTOM RAIL  
200 mm. FILLING - DOOR  
PANEL 16 mm.

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

AUTOMATIC THRESHOLD

BLACK HINGES for rebated doors

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)


SLIDING DOOR LEAF (additional charge added to the rebated leaf)

NON-REBATED DOOR LEAF




PRESENTED DECOR: WHITE MATT. REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: CPL LAMINATE, PP PLATINIUM




TAGO 10

**MIRROR**  
TAGO - GLASS ON  
THE OBVERSE SIDE -  
STANDARD  
TAGO 20 - GLASS ON  
THE REVERSE SIDE



TAGO FULL



TAGO FULL



TAGO FULL



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# VANILLA

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2  
CONCEALED  
HINGES



60/70  
80/90  
AVAILABLE  
WIDTHS



3  
PINTLE  
HINGES



TEMPERED  
GLASS  
4 mm



i  
TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE


- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- DARK GREY GLASS
- BLACK VSG GLASS
- WHITE VSG GLASS
- NON-REBATED DOOR LEAF



VOSTER®

PRESENTED DECOR: BAVARIA OAK. NON-REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



\*decor available while stocks last



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# ETNA

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2  
CONCEALED  
HINGES



norm  
PL/CZ



60/70  
80/90  
AVAILABLE  
WIDTHS



3  
PINTLE  
HINGES



TEMPERED  
GLASS  
4 mm



i  
TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- DARK GREY GLASS
- BLACK VSG GLASS
- WHITE VSG GLASS
- NON-REBATED DOOR LEAF



VOSTER®

PRESENTED DECOR: LATTE OAK. NON-REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: 3D FOIL, CPL LAMINATE, PP PLATINIUM



ETNA 10  
NON-REBATED



ETNA 20  
NON-REBATED



ETNA 30  
NON-REBATED



ETNA 40  
NON-REBATED



ETNA 50  
NON-REBATED



ETNA 60  
NON-REBATED



ETNA 70  
NON-REBATED

\*decor available while stocks last



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# MEDIOLAN

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



CONCEALED  
HINGES



AVAILABLE  
WIDTHS



PINTLE  
HINGES



TECH. INFO.  
P. 212 - 219



MEDIOLAN 10  
DARK GREY  
GLASS



norm  
PL/CZ

## AVAILABLE OPTIONS AT AN EXTRA CHARGE


- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- BLACK VSG GLASS
- WHITE VSG GLASS
- NON-REBATED DOOR LEAF




VOSTER®

PRESENTED DECOR: BLACK MATT. NON-REBATED DOOR LEAF, V-RETTO FRAME.


## AVAILABLE DECORS: FINISH - COVERED LEAF: 3D FOIL, CPL LAMINATE, PP PLATINIUM



DOOR FRAMES  
AVAILABLE IN  
BLACK MATT



MEDIOLAN 10  
NON-REBATED



MEDIOLAN 20  
NON-REBATED



MEDIOLAN 30  
NON-REBATED

PANEL



**NON-REBATED**  
FRAME DOOR  
LEAF



**REBATED**  
FRAME DOOR  
LEAF

# MOBI

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2 CONCEALED  
HINGES



3 PINTLE  
HINGES



AVAILABLE  
WIDTHS



TEMPERED  
GLASS  
4 mm



TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- DARK GREY GLASS
- BLACK VSG GLASS
- WHITE VSG GLASS
- NON-REBATED DOOR LEAF



PRESENTED DECOR: WHITE MATT. NON-REBATED DOOR LEAF. V-RETTO FRAME.

## AVAILABLE DECORS: FINISH – COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



**MOBI 10**  
NON-REBATED



**MOBI 20**  
NON-REBATED



**MOBI 30**  
NON-REBATED



**MOBI 40**  
NON-REBATED



**MOBI 50**  
NON-REBATED



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# BERGAMO

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2 CONCEALED  
HINGES



AVAILABLE  
WIDTHS



3 PINTLE  
HINGES



norm  
PL/CZ



TEMPERED  
GLASS  
4 mm



TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- DARK GREY GLASS
- BLACK VSG GLASS
- WHITE VSG GLASS
- NON-REBATED DOOR LEAF



PRESENTED DECOR: SAND OAK CPL. NON-REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



BERGAMO 10  
NON-REBATED



BERGAMO 20  
NON-REBATED



BERGAMO 30  
NON-REBATED



BERGAMO 40  
NON-REBATED



BERGAMO 50  
NON-REBATED



BERGAMO 60  
NON-REBATED




BERGAMO 70  
NON-REBATED

\* decor available while stocks last  
\*\* decor available for rebated door leaves



# EVI

## STANDARD



## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- BLACK VSG GLASS
- WHITE VSG GLASS
- NON-REBATED DOOR LEAF



PRESENTED DECOR: GRAU. REBATED DOOR LEAF, ADJUSTABLE FRAME STANDARD. BLACK HINGES - OPTION AT EXTRA CHARGE.

## AVAILABLE DECORS: FINISH - COVERED LEAF: CPL LAMINATE, PP PLATINIUM





NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# KAMPO

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2  
CONCEALED  
HINGES



60/70  
80/90  
AVAILABLE  
WIDTHS



3  
PINTLE  
HINGES



norm  
PL/CZ



TEMPERED  
GLASS  
4 mm



i  
TECH. INFO.  
P. 212 - 219



## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- BLACK VSG GLASS
- NON-REBATED DOOR LEAF

## AVAILABLE DECORS: FINISH - COVERED LEAF: PP PLATINIUM



white matt



grau



cashmere



clay



NEW

still



black matt



VOSTER®


PRESENTED DECOR: BLACK MATT. REBATED DOOR LEAF, ADJUSTABLE FRAME STANDARD. BLACK HINGES - OPTION AT EXTRA CHARGE.



KAMPO 10  
REBATED



KAMPO 20  
REBATED




KAMPO 30  
REBATED



KAMPO 40  
REBATED



KAMPO 50  
REBATED



KAMPO 60  
REBATED



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# VINCI

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2 CONCEALED  
HINGES



60/70  
80/90  
AVAILABLE  
WIDTHS



3 PINTLE  
HINGES



norm  
PL/CZ



TEMPERED  
GLASS  
4 mm



i TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- DARK GREY GLASS
- BLACK VSG GLASS
- WHITE VSG GLASS
- NON-REBATED DOOR LEAF



VOSTER®

PRESENTED DECOR: WHITE MATT. REBATED DOOR LEAF, V-RETTO FRAME, BLACK HINGES - AT EXTRA CHARGE.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



VINCI 10  
REBATED



VINCI 20  
REBATED



VINCI 30  
REBATED



VINCI 40  
REBATED



VINCI 50  
REBATED

\* decor available while stocks last  
\*\* decor available for rebated door leaves



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# BELLO

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2  
CONCEALED  
HINGES



60/70  
80/90  
AVAILABLE  
WIDTHS



3  
PINTLE  
HINGES



TEMPERED  
GLASS  
4mm



i  
TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- WHITE VSG GLASS
- NON-REBATED DOOR LEAF

## AVAILABLE DECORS: FINISH - COVERED LEAF: 3D FOIL, CPL LAMINATE, PP PLATINIUM



PRESENTED DECOR: WHITE MATT. REBATED DOOR LEAF, V-RETTO FRAME.

TEMPERED GLASS 4 mm,  
WIDTH 145 mm (fixed  
dimension for all leaf  
widths)



BELLO 10  
REBATED



BELLO 20  
REBATED

\*\* decor available for rebated door leaves



**NON-REBATED**  
FRAME DOOR  
LEAF



**REBATED**  
FRAME DOOR  
LEAF

# KUBUS, LUPUS

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2 CONCEALED  
HINGES



3 PINTLE  
HINGES



AVAILABLE  
WIDTHS  
"60" IS NOT  
APPLICABLE TO THE  
KUBUS MODEL



TEMPERED  
GLASS  
4 mm



TECH. INFO.  
P. 212 - 219



norm  
PL/CZ

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

NON-REBATED DOOR LEAF



**VOSTER**®

PRESENTED DECOR: WHITE FF. REBATED DOOR LEAF, V-RETTO FRAME. BLACK HINGES AT EXTRA CHARGE.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



\* decor available while stocks last



KUBUS „70”  
REBATED



KUBUS „80”  
REBATED



KUBUS „90”  
REBATED

THE PROPORTIONS  
OF THE  
APPLICATION ON  
THE "70" WIDTH  
DOOR LEAF  
ARE SLIGHTLY  
DIFFERENT FROM  
APPLICATIONS ON  
THE "80" AND "90"  
DOOR LEAVES.



LUPUS REBATED  
GLASS WITHOUT  
APPLICATION



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# MURANO

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2 CONCEALED  
HINGES



AVAILABLE  
WIDTHS



TEMPERED  
GLASS  
4 mm



TECH. INFO.  
P. 212 - 219



norm  
PL/CZ

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- WHITE VSG GLASS
- NON-REBATED DOOR LEAF



VOSTER®

PRESENTED DECOR: MUSCATO WALNUT. REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



MURANO 10  
REBATED



MURANO 20  
REBATED



MURANO 30  
REBATED

\* decor available while stocks last  
\*\* decor available for rebated door leaves



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# MARS

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2 CONCEALED  
HINGES



3 PINTLE  
HINGES



AVAILABLE  
WIDTHS



TEMPERED  
GLASS  
4 mm



TECH. INFO.  
P. 212 - 219



norm  
PL/CZ

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)


NON-REBATED DOOR LEAF



VOSTER®

PRESENTED DECOR: MONTANA OAK. REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



MARS 10  
REBATED



MARS 20  
REBATED



MARS 30  
REBATED



MARS 40  
REBATED

\* decor available while stocks last  
\*\* decor available for rebated door leaves



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# VICAR

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2 CONCEALED  
HINGES



60/70  
80/90  
AVAILABLE  
WIDTHS



3 PINTLE  
HINGES



TEMPERED  
GLASS  
4 mm



TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE


- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- WHITE VSG GLASS
- NON-REBATED DOOR LEAF



VOSTER®

PRESENTED DECOR: GRAPHITE MATT. NON-REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM




VICAR 10  
REBATED



VICAR 20  
REBATED



VICAR 30  
REBATED



VICAR 40  
REBATED



VICAR 50  
REBATED

\* decor available while stocks last  
\*\* decor available for rebated door leaves



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# TOLEDO

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



CONCEALED  
HINGES



PINTLE  
HINGES



AVAILABLE  
WIDTHS



norm  
PL/CZ



TEMPERED  
GLASS  
4 mm



TECH. INFO.  
P. 212 - 219


## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- WHITE VSG GLASS - height 141 mm
- WHITE VSG GLASS - height 35 mm
- NON-REBATED DOOR LEAF



PRESENTED DECOR: OIL OAK. REBATED DOOR LEAF, ADJUSTABLE FRAME STANDARD.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



TOLEDO 10  
REBATED



TOLEDO 20  
REBATED



TOLEDO 30  
REBATED



TOLEDO 40  
REBATED



TOLEDO 50  
REBATED

\* decor available while stocks last  
\*\* decor available for rebated door leaves



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# PRIX

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2 CONCEALED  
HINGES



60/70  
80/90  
AVAILABLE  
WIDTHS



3 PINTLE  
HINGES



TEMPERED  
GLASS  
4 mm



i TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

WHITE VSG GLASS

NON-REBATED DOOR LEAF



PRESENTED DECOR: OLD OAK. REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



PRIX 10  
REBATED





PRIX 30  
REBATED



PRIX 50  
REBATED

\* decor available while stocks last  
\*\* decor available for rebated door leaves



aurea oak

*An exclusive choice  
for discerning tastes*





NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# LATINO

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2 CONCEALED  
HINGES



60/70  
80/90  
AVAILABLE  
WIDTHS



3 PINTLE  
HINGES



TEMPERED  
GLASS  
4 mm



i TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- WHITE VSG GLASS
- NON-REBATED DOOR LEAF



VOSTER®

PRESENTED DECOR: WHITE FF. REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



LATINO 10  
REBATED



LATINO 20  
REBATED



LATINO 30  
REBATED




LATINO 40  
REBATED



LATINO 50  
REBATED



LATINO 60  
REBATED



LATINO 70  
REBATED

\* decor available while stocks last  
\*\* decor available for rebated door leaves



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# LUGO

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2 CONCEALED  
HINGES



60/70  
80/90  
AVAILABLE  
WIDTHS



3 PINTLE  
HINGES



TEMPERED  
GLASS  
4 mm



i TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

WHITE VSG GLASS

NON-REBATED DOOR LEAF



PRESENTED DECOR: SAND OAK CPL. REBATED DOOR LEAF, V-RETTO FRAME, BLACK HINGES - AT EXTRA CHARGE.

## AVAILABLE DECORS: FINISH - COVERED LEAF: 3D FOIL, CPL LAMINATE, PP PLATINIUM



LUGO 10



LUGO 20



LUGO 30



LUGO 40

\* decor available while stocks last  
\*\* decor available for rebated door leaves



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# NEUTRA

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2  
CONCEALED  
HINGES



60/70  
80/90  
AVAILABLE  
WIDTHS



3  
PINTLE  
HINGES



norm  
PL/CZ



TEMPERED  
GLASS  
4 mm



i  
TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- WHITE VSG GLASS
- NON-REBATED DOOR LEAF



VOSTER®

PRESENTED DECOR: OAK CPL. REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: 3D FOIL, CPL LAMINATE



Italian walnut    anthracite    old oak\*



ash CPL\*\*    sand oak CPL    oak CPL



PROFILE - BRUSHED ALUMINIUM



NEUTRA 10



NEUTRA 20



NEUTRA 30



NEUTRA 40



NEUTRA 50

\* decor available while stocks last  
\*\* decor available for rebated door leaves



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# TIGA

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2  
CONCEALED  
HINGES



60/70  
80/90  
AVAILABLE  
WIDTHS



3  
PINTLE  
HINGES



TEMPERED  
GLASS  
4 mm



i  
TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- DARK GREY GLASS
- WHITE VSG GLASS
- NON-REBATED DOOR LEAF



PRESENTED DECOR: ANTHRACITE. REBATED DOOR LEAF, V-RETTO FRAME.


## AVAILABLE DECORS: FINISH - COVERED LEAF: 3D FOIL, CPL LAMINATE



Italian walnut   anthracite   old oak\*



ash CPL   sand oak CPL   oak CPL



PROFILE - BRUSHED  
ALUMINIUM



TIGA 10



TIGA 20



TIGA 30



TIGA 40

\* decor available while stocks last



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# TANGO

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2  
CONCEALED  
HINGES



60/70  
80/90  
AVAILABLE  
WIDTHS



3  
PINTLE  
HINGES



norm  
PL/CZ



TEMPERED  
GLASS  
4 mm



i  
TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors


BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

NON-REBATED DOOR LEAF



VOSTER®

PRESENTED DECOR: BIANCO. REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: 3D FOIL, CPL LAMINATE, PP PLATINIUM



Norwegian oak



Montana oak



acacia morava



sonoma oak



Italian walnut



oil oak



anthracite



old oak\*



polar oak CPL



ash CPL



sand oak CPL



oak CPL



bianco



arctic oak



Bawaria oak

TEMPERED GLASS  
(the glass application on the left door leaf is not a mirror image of the right door leaf)



TANGO 10



TANGO 20



TANGO 30



TANGO 40

\* decor available while stocks last



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# BRANDY

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2 CONCEALED  
HINGES



60/70  
80/90  
AVAILABLE  
WIDTHS



3 PINTLE  
HINGES



norm  
PL/CZ



TEMPERED  
GLASS  
4 mm



i TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)
- DARK GREY GLASS
- BLACK VSG GLASS
- WHITE VSG GLASS
- NON-REBATED DOOR LEAF



VOSTER®

PRESENTED DECOR: OLD OAK. REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



BRANDY 10 BRANDY 20



BRANDY 30 BRANDY 40 BRANDY 50 BRANDY 60 BRANDY 70 BRANDY 80

\* decor available while stocks last



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# ROCCO

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2  
CONCEALED  
HINGES



60/70  
80/90  
AVAILABLE  
WIDTHS



3  
PINTLE  
HINGES



norm  
PL/CZ



TEMPERED  
GLASS  
4 mm



i  
TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

NON-REBATED DOOR LEAF



PRESENTED DECOR: WHITE FF. REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



\*decor available while stocks last



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# ZITRON

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2 CONCEALED  
HINGES



60/70  
80/90  
AVAILABLE  
WIDTHS



3 PINTLE  
HINGES



norm  
PL/CZ



TEMPERED  
GLASS  
4 mm



i TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

WHITE VSG GLASS

NON-REBATED DOOR LEAF



VOSTER®

PRESENTED DECOR: OREGON OAK. REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



\* decor available while stocks last



NON-REBATED  
FRAME DOOR  
LEAF



REBATED  
FRAME DOOR  
LEAF

# ANTARES

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



2 CONCEALED  
HINGES



60/70  
80/90  
AVAILABLE  
WIDTHS



3 PINTLE  
HINGES



TEMPERED  
GLASS  
4 mm



i TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

THIRD HINGE for non-rebated doors

BLACK HINGE CAPS for non-rebated doors

BLACK HINGES for rebated doors

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)

NON-REBATED DOOR LEAF



PRESENTED DECOR: WHITE FF. REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE



white



acacia  
morava



oil oak



Italian walnut



muscato  
walnut\*



ash CPL



oak CPL



ANTARES 10



ANTARES 20



ANTARES 30



ANTARES 40



ANTARES 50

\* decor available while stocks last



# DUO

## STANDARD

3  
PINTLE  
HINGES

norm  
PL/CZ

TECH. INFO.  
P. 212 - 219

60/70  
80/90  
AVAILABLE  
WIDTHS

### AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- BLACK HINGES
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF



PRESENTED DECOR: BLACK MATT/LATTE OAK. REBATED LEAF, V-RETTO FRAME. BLACK HINGES - AT EXTRA CHARGE.

### AVAILABLE DECORS: FINISH - COVERED LEAF: 3D FOIL, CPL LAMINATE, PP PLATINIUM



DUO 10      DUO 20      DUO 20      DUO 20

DOOR FRAMES AVAILABLE IN BLACK MATT. DUO 10 - VERTICAL STILES ONLY IN BLACK MATT.



# DELLA

## STANDARD



PINTLE HINGES



norm  
PL/CZ



AVAILABLE WIDTHS



TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

BLACK HINGES

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF




PRESENTED DECOR: CANADIAN OAK. REBATED DOOR LEAF, V-RETTO FRAME. BLACK HINGES - AT EXTRA CHARGE.

## AVAILABLE DECORS: FINISH - COVERED LEAF: 3D FOIL, CPL LAMINATE, PP PLATINIUM



DELLA 10



DELLA 20



DELLA 30



DELLA 40



DELLA 50




DELLA 60






DELLA 70


still



*Sophisticated design*



# PLATINIUM COLLECTION



## ADVANTAGES – PLATINIUM REBATED FRAME DOOR LEAVES



- CONSTRUCTION**
- FRAME DOOR LEAF
  - HORIZONTAL RAILS MADE OF MDF BOARD
  - THE WIDTH OF VERTICAL STILES IS 14 CM
  - SOFTWOOD VERTICAL STILES (TECHNICAL INFORMATION P. 215)

- FINISH**
- COVERED LEAF: PP PLATINIUM

- HARDWARE**
- THREE ADJUSTABLE 2-PINTLE HINGES (BLACK HINGES NOT AVAILABLE)
  - KEY LOCK, CYLINDER LOCK OR BATHROOM LOCK



- GLAZING**
- TEMPERED GLASS 4 mm

- DOOR LEAF AVAILABLE IN CZECH NORM




- AVAILABLE WIDTHS**
- „60“, „70“, „80“, „90“

**TECHNICAL INFORMATION**  
p. 212 - 219




- AVAILABLE OPTIONS AT AN EXTRA CHARGE**
- VENTILATION UNDERCUT
  - PVC VENTILATION SLEEVES
  - BRASS VENTILATION SLEEVES
  - "100" DOOR LEAF
  - AUTOMATIC THRESHOLD
  - DARK GREY GLASS AVAILABLE FOR MODELS: MODEL X, MODEL Q, MODEL Y
  - DOUBLE-LEAF DOOR
  - DOOR LEAF IN THE SLIDING VERSION

### PP PLATINIUM



white matt




bianco



arctic oak



grau



cashmere



latte oak



Bawaria oak



clay



PLATINIUM



# MODEL Q

## STANDARD

- 2-PINTLE HINGES
- norm PL/CZ
- AVAILABLE WIDTHS
- TECH. INFO. P. 212 - 219
- TEMPERED GLASS 4 mm

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- DOUBLE-LEAF DOOR
- SLIDING DOOR LEAF (leaf price x2 + surcharge)
- DARK GREY GLASS
- WHITE VSG GLASS
- BLACK VSG GLASS
- BLACK HINGE COVERS



PRESENTED DECOR: WHITE MATT. REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: PP PLATINIUM

- white matt
- bianco
- arctic oak
- grau
- cashmere
- latte oak
- Bawaria oak
- clay





PLATINIUM

# MODEL X

## STANDARD



2-PINTLE HINGES



norm PL/CZ



TECH. INFO. P. 212 - 219



AVAILABLE WIDTHS



TEMPERED GLASS 4 mm

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

DOUBLE-LEAF DOOR

SLIDING DOOR LEAF (leaf price x2 + surcharge)

DARK GREY GLASS

WHITE VSG GLASS

BLACK VSG GLASS


BLACK HINGE COVERS



VOSTER®

PRESENTED DECOR: ARCTIC OAK. REBATED DOOR LEAF. V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: PP PLATINIUM



MODEL X 10



MODEL X 20



MODEL X 30



MODEL X 40



MODEL X 50



MODEL X 60



MODEL X 70



PLATINIUM



# MODEL Y

## STANDARD

- 2-PINTLE HINGES
- norm PL/CZ
- TECH. INFO. P. 212 - 219
- 60/70 80/90 AVAILABLE WIDTHS
- TEMPERED GLASS 4 mm

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF
- WHITE VSG GLASS
- BLACK HINGE COVERS



PRESENTED DECOR: CASHMERE. REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: PP PLATINIUM



MODEL Y 10



MODEL Y 20



MODEL Y 30



MODEL Y 40



MODEL Y 50



MODEL Y 60



MODEL Y 70



REBATED  
FRAME DOOR  
LEAF

# PLATINIUM

# MODEL V

## STANDARD



2-PINTLE  
HINGES



norm  
PL/CZ



AVAILABLE  
WIDTHS



TECH. INFO.  
P. 212 - 219



TEMPERED  
GLASS  
4 mm

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF

WHITE VSG GLASS

BLACK HINGE COVERS



VOSTER®

PRESENTED DECOR: ARCTIC OAK. REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: PP PLATINIUM



white matt    bianco    arctic oak    grau    cashmere



latte oak    Bawaria oak    clay



MODEL V 10



MODEL V 20



MODEL V 30



MODEL V 40



MODEL V 50



REBATED  
FRAME DOOR  
LEAF



GLASS DOOR  
LEAF

# MONO

## STANDARD



PINTLE  
HINGES



TEMPERED  
GLASS  
8 mm



70/80/90  
AVAILABLE  
WIDTHS



TECH. INFO.  
P. 212 - 219



PRESENTED DECOR: ACACIA MORAVA. REBATED DOOR LEAF, V-RETTO FRAME.

### AVAILABLE DECORS: FINISH – COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



MONO 10

\*decor available while stocks last



REBATED  
FRAME DOOR  
LEAF



GLASS DOOR  
LEAF

# VENTO

## STANDARD



PINTLE  
HINGES



CZECH  
STANDARD  
APPLIES TO  
VENTO II



AVAILABLE  
WIDTHS



TECH. INFO.  
P. 212 - 219



- VENTO IV, SPAGHETTI - SATIN, TEMPERED GLASS, THICKNESS 8 MM, GROUND EDGES
- VENTO II - TEMPERED GLASS, THICKNESS 8 MM, GROUND EDGES
- VENTO SPAGHETTI - TEMPERED GLASS (THE GLASS APPLICATION ON THE LEFT DOOR LEAF IS NOT A MIRROR IMAGE OF THE RIGHT DOOR LEAF)



PRESENTED DECOR: WHITE FF. GLAZING VENTO II. REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



\*decor available while stocks last



VENTO II



VENTO IV



VENTO SPAGHETTI



GLASS DOOR LEAF

# PLATO

## STANDARD



PINTLE HINGES



TECH. INFO. P. 212 - 219



AVAILABLE WIDTHS



TEMPERED GLASS 8 MM, GROUND EDGES



## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- HARDWARE RECTANGLE, KEY, SILVER
- HARDWARE RECTANGLE, KEY, BLACK
- SOFT HARDWARE, KEY, SILVER
- SOFT HARDWARE, KEY, BLACK
- HARDWARE RECTANGLE, CYLINDER, SILVER
- HARDWARE RECTANGLE, CYLINDER, BLACK
- SOFT HARDWARE, CYLINDER, SILVER
- SOFT HARDWARE, CYLINDER, BLACK
- HARDWARE RECTANGULAR, ECONOMY, SILVER
- HARDWARE RECTANGULAR, ECONOMY, BLACK
- SOFT HARDWARE, ECONOMY, SILVER
- SOFT HARDWARE, ECONOMY, BLACK
- HARDWARE RECTANGLE, BATHROOM LOCK, SILVER
- HARDWARE RECTANGLE, BATHROOM LOCK, BLACK
- SOFT HARDWARE, BATHROOM LOCK, SILVER
- SOFT HARDWARE, BATHROOM LOCK, BLACK
- ADJUSTABLE DOOR FRAME DEDICATED TO PLATO P. 190 IN THE CATALOGUE
- FIXED DOOR FRAME DEDICATED FOR PLATO P. 193 IN THE CATALOGUE
- VENTILATION UNDERCUT

### HARDWARE:

RECTANGULAR VERSION


SOFT VERSION



VOSTER®

PLATO TRANSPARENT. DEDICATED FRAME.

- PLATO TRANSPARENT „60“, „70“, „80“, „90“
- PLATO WHITE „60“, „70“, „80“, „90“
- PLATO GRAPHITE TRANSPARENT „60“, „70“, „80“, „90“



PLATO TRANSPARENT

PLATO WHITE

PLATO GRAPHITE TRANSPARENT

# NON-REBATED PANEL DOOR LEAF



## CONSTRUCTION

- **NON-REBATED** DOOR LEAF
- PROFILE MADE OF MDF BOARD, COVERED WITH TWO HDF BOARDS
- STABILISING FILLING: "HONEYCOMB" OR AS AN OPTION FOR AN ADDITIONAL CHARGE: "SOLID BOARD"

## FINISH

- **COVERED HDF BOARDS**
  - FF FINISH FOIL
  - 3D FOIL
  - CPL LAMINATE
  - PP PLATINIUM
- **ABS EDGE** (Doors in the following decors: clay, copper, dark navy are covered with black ABS edge. The edge has no structure. There may be a slight colour difference between the edge and the door leaf surface.)



## HARDWARE

- TWO CONCEALED HINGES 3D SILVER OR BLACK
- MAGNETIC LOCK WITH KEY, CYLINDER LOCK OR BATHROOM LOCK
- BLACK HINGES AND BLACK LOCK AT NO EXTRA CHARGE



## AVAILABLE WIDTHS

- „60“, „70“, „80“, „90“

- **DOOR LEAF AVAILABLE IN CZECH NORM**



TECHNICAL INFORMATION P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE



- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- BLACK HINGE CAPS (for door leaf and non-rebated adjustable door frame)
- BLACK HINGE CAPS (for door leaf and adjustable reverse door frame)
- AUTOMATIC THRESHOLD
- THIRD HINGE (additional charge added to the door frame)
- REINFORCEMENT SOLID BOARD (third hinge recommended for non-rebated door leaves)
- PROTECTIVE PANEL INOX BOTTOM (two sides)
- PROTECTIVE PANEL INOX VENTILATION (two sides)
- PROTECTIVE PANEL INOX CENTRE (two sides)
- STEEL VENTILATION GRILL
- DOUBLE-LEAF DOOR leaf price x2 + surcharge
- REINFORCEMENT FOR DOOR CLOSER

# REBATED PANEL DOOR LEAF



## CONSTRUCTION

- **REBATED** DOOR LEAF
- PROFILE MADE OF MDF BOARD, COVERED WITH TWO HDF BOARDS
- STABILISING FILLING: "HONEYCOMB" OR AS AN OPTION FOR AN ADDITIONAL CHARGE: "SOLID BOARD"

## FINISH

- **COVERED HDF BOARDS**
  - FF FINISH FOIL
  - 3D FOIL
  - CPL LAMINATE
  - PP PLATINIUM
  - HDF LAK
- door leaves in the following decor: clay, Paris - feature black edges



## HARDWARE

- TWO SCREW-IN PINTLE HINGESE
- KEY LOCK, CYLINDER LOCK OR BATHROOM LOCK



## AVAILABLE WIDTHS

- „60“, „70“, „80“, „90“

- **DOOR LEAF AVAILABLE IN CZECH NORM**



TECHNICAL INFORMATION P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE



- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- BLACK HINGES (for door leaf and adjustable as well as fixed reinforced door frame with socket)
- REINFORCEMENT SOLID BOARD
- PROTECTIVE PANEL INOX BOTTOM (two sides)
- PROTECTIVE PANEL INOX VENTILATION (two sides)
- PROTECTIVE PANEL INOX CENTRE (two sides)
- STEEL VENTILATION GRILL
- DOUBLE-LEAF DOOR leaf price x2 + surcharge
- DOOR LEAF IN THE SLIDING VERSION
- REINFORCEMENT FOR DOOR CLOSER



NON-REBATED  
PANEL  
DOOR LEAF



REBATED  
PANEL  
DOOR LEAF

# FULL PLAIN

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



CONCEALED  
HINGES



AVAILABLE  
WIDTHS



PINTLE  
HINGES



TECH. INFO.  
P. 212 - 219



"HONEYCOMB"  
FILLING

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- NON-REBATED DOOR LEAF
- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- REINFORCEMENT SOLID BOARD (third hinge recommended)
- REINFORCEMENT FOR DOOR CLOSER
- PROTECTIVE PANEL INOX BOTTOM (TWO SIDES)
- PROTECTIVE PANEL INOX VENTILATION (TWO SIDES)
- PROTECTIVE PANEL INOX CENTRE (TWO SIDES)
- STEEL VENTILATION GRILL
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)



PRESENTED DECOR: BLACK MATT. REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



\*decor not available for non-rebated door leaves



FULL PLAIN  
REBATED



FULL PLAIN  
NON-REBATED





# REVERSE FULL

## STANDARD

- MAGNETIC LOCK FOR NON-REBATED DOOR LEAVES
- CONCEALED HINGES
- norm PL/CZ
- AVAILABLE WIDTHS
- "HONEYCOMB" FILLING
- TECH. INFO. P. 212 - 219
- MODERNO WITH SOLID BOARD FILLING

## REVERSE DOOR OPENING DIRECTIONS



## AVAILABLE OPTIONS AT AN EXTRA CHARGE


- REVERSE DOOR LEAF (additional charge added to the rebated leaf)
- VENTILATION UNDERCUT (MODERNO – undercut is moved)
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES (not applicable to MODERNO)
- BRASS VENTILATION SLEEVES (full door leaves)
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE (additional charge added to the door frame)
- REINFORCEMENT SOLID BOARD (third hinge recommended)
- REINFORCEMENT FOR DOOR CLOSER (not applicable to MODERNO)
- STEEL VENTILATION GRILL (full plain door leaves)

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM




PRESENTED DECOR: PARIS. NON-REBATED DOOR LEAF, V-RETTO REVERSE FRAME.

## MODELS AVAILABLE IN REVERSE VERSION:



PRICE OF THE REVERSE DOOR LEAF AS PER THE CATALOG OFFER + ADDITIONAL CHARGE

INTARSIA COLOURS ACCORDING TO CATALOGUE OFFER PAGES 126 AND 128





# SARA PRO

## FULL PLAIN FOR THE HIDDEN SYSTEM

### STANDARD



MAGNETIC LOCK



CONCEALED HINGES



AVAILABLE WIDTHS



"HONEYCOMB" FILLING



TECH. INFO.  
P. 212 - 219


### AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- AUTOMATIC THRESHOLD
- ADDITIONAL CHARGE FOR THE THIRD HINGE
- REINFORCEMENT SOLID BOARD (third hinge recommended)
- STEEL VENTILATION GRILL



PRESENTED DECOR: PRIMER FOIL FOR PAINTING. A FULL PLAIN NON-REBATED DOOR LEAF WITH SARA PRO DOOR FRAME. THE DOOR LEAF IS PAINTED IN THE SAME COLOUR AS THE WALL.

### AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



FULL PLAIN NON-REBATED



# SARA PRO H220

## FULL PLAIN FOR THE HIDDEN SYSTEM

### STANDARD



MAGNETIC  
LOCK



CONCEALED  
HINGES



AVAILABLE  
WIDTHS



REINFORCEMENT  
SOLID BOARD



TECH. INFO.  
P. 212 - 219

### AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

AUTOMATIC THRESHOLD

STEEL VENTILATION GRILL



PRESENTED DECOR: PRIMER FOIL FOR PAINTING. A FULL PLAIN NON-REBATED DOOR LEAF WITH SARA PRO DOOR FRAME. THE WALL ABOVE THE DOOR LEAF IS PAINTED IN THE SAME COLOUR AS THE DOOR LEAF DECOR.

### AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



primer foil for painting or  
wallpapering



white



graphite matt



dark navy



Canadian oak



Montana  
oak



sonoma oak



Italian walnut



oil oak



Paris



sand oak  
CPL



oak CPL




white matt



bianco



arctic oak



grau



cashmere



latte oak



Bawaria oak



clay



copper



black matt



Door leaf reinforced  
with solid board



FULL PLAIN  
NON-REBATED



FULL PLAIN  
NON-REBATED

# SYSTEM SARA PRO

The **Sara Pro** door frame is dedicated for plain door leaves.

The **Sara Pro** hidden door frame is a unique and strong solution if you are looking for new trends in interior design. The high quality aluminium, rigid structure and improved installation system make this solution increasingly popular, while earning loyal proponents. Sara Pro is a single module-profile, separate for the external and internal system. Sara Pro fits into minimalistic rooms and aligns with the current trends.



SINGLE HIDDEN DOOR FRAME SARA PRO, INTERNAL, EXTERNAL, FOR THE WIDTH: 60-90


ALUMINIUM

ANODE, PAINTED WHITE/BLACK

ALUMINIUM 220

ANODA 220, PAINTED WHITE/BLACK 220

ADDITIONAL CHARGE FOR THE THIRD HINGE FOR STANDARD HEIGHT




**3D concealed hinges**  
Black frames are equipped with black hinges as standard. Frames in aluminum, anodized, or white-painted finishes are equipped with silver-colored hinges.


**magnetic lock**  
- quiet closing

**The door leaf flush with the wall**  
creates an integrated, aesthetic surface


## SARA PRO EXTERNAL




## SARA PRO INTERNAL



## SARA PRO EXTERNAL




## SARA PRO INTERNAL




minimum wall thickness 60 mm



## SARA PRO 220 EXTERNAL



## SARA PRO 220 INTERNAL





NON-REBATED  
PANEL  
DOOR LEAF



REBATED  
PANEL  
DOOR LEAF

# MODERNO FULL

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



CONCEALED  
HINGES



60/70  
80/90

AVAILABLE  
WIDTHS



TECH. INFO.  
P. 212 - 219



MODERNO  
- BLACK LACOBEL  
GLASS



REINFORCE-  
MENT SOLID  
BOARD



## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- NON-REBATED DOOR LEAF
- MOVED VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)




VOSTER®




PRESENTED DECOR: BAVARIA OAK. NON-REBATED DOOR LEAF, V-RETTO FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



Door leaf reinforced with solid board



LACOBEL GLASS GLUED TO HDF BOARD, flush with the door leaf surface, black



MODERNO REBATED

\*decor not available for rebated door leaves  
\*\*decor not available for non-rebated door leaves



NON-REBATED  
PANEL  
DOOR LEAF

# MAGNETIC FULL

A new version of non-rebated doors. By using an innovative opening and closing system, we obtained a minimalistic and modern door design, without a traditional lock and handle. The door leaf is fitted with a magnetic stainless steel block, while the door frame is fitted with a system of strong magnets. The magnetic force causes the door to close silently and perfectly. For full door closing (locking), an option for an additional charge, small lock for bathroom or lock with cylinder lock should be used. Door leaf reinforced with solid board.

## STANDARD



AVAILABLE  
WIDTHS



CONCEALED  
HINGES



TECH. INFO.  
P. 212 - 219



REINFORCEMENT  
SOLID BOARD

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

MOVED VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT (available only for MAGNETIC S)

CYLINDER LOCK

BATHROOM LOCK

"100" DOOR LEAF

AUTOMATIC THRESHOLD


THIRD HINGE for non-rebated doors (additional charge added to the door frame)



VOSTER®

PRESENTED DECOR: LATTE OAK. NON-REBATED DOOR LEAF, V-RETTO DEDICATED FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: PP PLATINIUM



magnetic system - door leaf, frame



cylinder lock



bathroom lock



MAGNETIC S




MAGNETIC L with long holder

# LAMELO

## FULL

### STANDARD

	2 NEODYMIUM MAGNETS		BLACK PINTLE HINGES	
	AVAILABLE WIDTHS		BLACK FINGER PULL	
	TECH. INFO. P. 212 - 219		REINFORCEMENT FOR THE LAMELO HOLDER	


### AVAILABLE OPTIONS AT AN EXTRA CHARGE

- MOVED VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- "100" DOOR LEAF
- AUTOMATIC THRESHOLD
- BLACK HOOK LOCK
- REINFORCEMENT SOLID BOARD



PRESENTED DECOR: BAVARIA OAK, NON-REBATED DOOR LEAF, DEDICATED DOOR FRAME.

### AVAILABLE DECORS: FINISH - COVERED LEAF: CPL LAMINATE, PP PLATINIUM



lamellas on both sides of the leaf



lamella with finger pull



hook lock with blockade



Hook lock with bathroom lock - pull handle



neodymium magnet



LAMELO



NON-REBATED  
PANEL  
DOOR LEAF



REBATED  
PANEL  
DOOR LEAF

# FULL PLAIN H220

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



CONCEALED  
HINGES



2-PINTLE  
HINGES (BLACK  
HINGES NOT  
AVAILABLE)



AVAILABLE  
WIDTHS



SOLID BOARD  
FILLING



TECH. INFO.  
P. 212 - 219

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

NON-REBATED DOOR LEAF

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

BRASS VENTILATION SLEEVES

AUTOMATIC THRESHOLD

BLACK HINGE CAPS for non-rebated doors

BLACK HINGE COVERS for rebated doors

PROTECTIVE PANEL INOX BOTTOM (TWO SIDES)

PROTECTIVE PANEL INOX VENTILATION (TWO SIDES)

PROTECTIVE PANEL INOX CENTRE (TWO SIDES)

STEEL VENTILATION GRILL


DOUBLE-LEAF DOOR



VOSTER®

PRESENTED DECOR: GRAPHITE MATT. PANEL DOOR LEAF, V-RETTO 220 DOOR FRAME.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



Door leaf reinforced with solid board



FULL PLAIN  
REBATED



FULL PLAIN  
NON-REBATED



NON-REBATED  
PANEL  
DOOR LEAF



REBATED  
PANEL  
DOOR LEAF

# INTARSIA FULL

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



CONCEALED  
HINGES



PINTLE  
HINGES



AVAILABLE  
WIDTHS



TECH. INFO.  
P. 212 - 219



"HONEYCOMB"  
FILLING

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

NON-REBATED DOOR LEAF

VENTILATION UNDERCUT (INTARSIA 40 - undercut is moved)

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES (INTARSIA 40 - not available)

"100" DOOR LEAF

AUTOMATIC THRESHOLD

BLACK HINGE CAPS for non-rebated doors

THIRD HINGE for non-rebated doors (additional charge added to the door frame)

BLACK HINGES for rebated doors

REINFORCEMENT FOR DOOR CLOSER

REINFORCEMENT SOLID BOARD (third hinge recommended)


DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)




PRESENTED DECOR: PARIS. V-RETTO FRAME. BLACK HINGES - OPTION AT EXTRA CHARGE.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



Inlay width 6 mm  
Colours:



INTARSIA 10

INTARSIA 10

INTARSIA 20

INTARSIA 20

INTARSIA 30

INTARSIA 30

INTARSIA 40



INTARSIA 40  
board cover with black  
matt decor



NON-REBATED  
PANEL  
DOOR LEAF



REBATED  
PANEL  
DOOR LEAF

# INTARSIA FULL

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



CONCEALED  
HINGES



AVAILABLE  
WIDTHS



PINTLE  
HINGES



TECH. INFO.  
P. 212 - 219



"HONEYCOMB"  
FILLING

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

NON-REBATED DOOR LEAF

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

"100" DOOR LEAF

AUTOMATIC THRESHOLD

BLACK HINGES for rebated doors

BLACK HINGE CAPS for non-rebated doors


THIRD HINGE for non-rebated doors (additional charge added to the door frame)

REINFORCEMENT FOR DOOR CLOSER

REINFORCEMENT SOLID BOARD (third hinge recommended)

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF (additional charge added to the rebated leaf)




VOSTER®

PRESENTED DECOR: PALERMO WALNUT, BLACK INLAY. STANDARD ADJUSTABLE FRAME. BLACK HINGES AT EXTRA CHARGE.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM




Inlay width 8 mm  
Colours:



black



silver




gold

INTARSIA 90 - when ordering a door leaf without drill for escutcheon, the inlay will not reach the handle



INTARSIA 50



INTARSIA 60



INTARSIA 70



INTARSIA 80



INTARSIA 90



INTARSIA 100



# PERLA

## STANDARD

- 3 PINTLE HINGES
- TEMPERED GLASS 4 MM
- AVAILABLE WIDTHS
- norm PL/CZ
- TECH. INFO. P. 212 - 219
- "HONEYCOMB" FILLING



## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- AUTOMATIC THRESHOLD
- BLACK HINGES
- REINFORCEMENT SOLID BOARD (third hinge recommended)
- REINFORCEMENT FOR DOOR CLOSER
- STEEL VENTILATION GRILL
- DARK GREY GLASS
- VSG GLASS FOR PAINTED GLASS
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF



PRESENTED DECOR: GRAU. STANDARD ADJUSTABLE FRAME. BLACK HINGES AT EXTRA CHARGE.

## AVAILABLE DECORS: FINISH - COVERED LEAF: PP PLATINIUM



Stick-on muntin, black or in leaf color




PERLA 10



PERLA 20



PERLA 30



PERLA 40



PERLA 50

The standard door leaf is made with a white painted glass and muntins in the colour of the door leaf. Changing the muntins colour to black does not affect the price.



NON-REBATED  
PANEL  
DOOR LEAF



REBATED  
PANEL  
DOOR LEAF

# BULAJ

## STANDARD



MAGNETIC LOCK  
FOR NON-REBATED  
DOOR LEAVES



CONCEALED  
HINGES



AVAILABLE  
WIDTHS



PINTLE  
HINGES



norm  
PL/CZ



TECH. INFO.  
P. 212 - 219



"HONEYCOMB"  
FILLING

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- NON-REBATED DOOR LEAF
- VENTILATION UNDERCUT
- RECUPERATIVE SHORTCUT
- PVC VENTILATION SLEEVES
- BRASS VENTILATION SLEEVES
- REINFORCEMENT SOLID BOARD (third hinge recommended)
- AUTOMATIC THRESHOLD
- "100" DOOR LEAF
- THIRD HINGE for non-rebated doors
- BLACK HINGE CAPS for non-rebated doors
- BLACK HINGES for rebated doors
- REINFORCEMENT FOR DOOR CLOSER
- DOUBLE-LEAF DOOR (leaf price x2 + surcharge)
- SLIDING DOOR LEAF (additional charge added to the rebated leaf)



PRESENTED DECOR: BLACK MATT.

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



BULAJ AVAILABLE WITH  
WHITE OR TRANSPARENT GLASS



BULAJ 10 INOX white glass  
BULAJ 20 INOX transparent glass



BULAJ 30 BLACK white glass  
BULAJ 40 BLACK transparent glass

\*\*decor not available for non-rebated door leaves

# FOLDING

## STANDARD



"HONEYCOMB"  
FILLING



STEEL PULL  
HANDLE





70/80/90  
AVAILABLE  
WIDTHS


## AVAILABLE OPTIONS AT AN EXTRA CHARGE

REINFORCEMENT SOLID BOARD

HOOK LOCK



SET WIDTH	A	B	C	D	E	F
	Door leaf width	Door leaf width	Door frame width for the installation of door leaves	Clear opening width in the door frame	External door frame width (without clearance for foam)	"80" band coverage width
"70"	418	318	748	726	770	908
"80"	518	318	848	826	870	1008
"90"	518	418	948	926	970	1108



## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



PRESENTED DECOR: CASHMERE.

### ADJUSTMENT RANGES:

80-100

100-140

140-180

180-220

220-260

260-300

300-340

340-380

380-420

420-460

# VARNISHED

## STANDARD



AVAILABLE  
WIDTHS



TECH. INFO.  
P. 212 - 219



### CONSTRUCTION

- PROFILE MADE OF MDF BOARD, COVERED WITH TWO HDF BOARDS
- STABILISING FILLING: "HONEYCOMB"

### FINISH

- VARNISHED HDF BOARD
- DOOR LEAVES MADE IN THE FEELZKANT OPTION
- A COLOR DIFFERENCE MAY OCCUR BETWEEN THE REBATE AND THE DOOR LEAF PANEL

### HARDWARE

- TWO SCREW-IN PINTLE HINGES
- KEY LOCK, CYLINDER LOCK OR BATHROOM LOCK

### GLAZING

- TEMPERED GLASS

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES

REINFORCEMENT SOLID BOARD (third hinge required)

AUTOMATIC THRESHOLD

"100" DOOR LEAF



BLACK HINGES for rebated doors

REINFORCEMENT FOR DOOR CLOSER

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF

## FULL



PRESENTED DECOR: WHITENED OAK. BLACK HINGES - AT EXTRA CHARGE.

## AVAILABLE DECORS: FINISH - COVERED LEAF: HDF LACQ.



white lacq.



whitened  
oak lacq.



silver oak  
lacq.



Scandinavian oak  
lacq.

"The doors designed as part of the project Modified standard segment panel doors for today, tomorrow, the day after tomorrow and many years under the Smart Growth Operational Programme 2014-2020, Sub-measure 3.2.1 Market research. The product design is the result of implementation on the market of the R&D work in the area of wood joinery manufacture technology in the form of interior entrance plain doors (standard segment) with significantly increased strength."



TORINO 10

TORINO 20

TORINO 30

TORINO 40

TORINO 50

TORINO 60

Black glazing bead - width 50 mm

# VARNISHED

## STANDARD



AVAILABLE  
WIDTHS



TECH. INFO.  
P. 212 - 219



### CONSTRUCTION

- PROFILE MADE OF MDF BOARD, COVERED WITH TWO HDF BOARDS
- STABILISING FILLING: "HONEYCOMB"

### FINISH

- VARNISHED HDF BOARD
- DOOR LEAVES MADE IN THE FEELZKANT OPTION
- A COLOR DIFFERENCE MAY OCCUR BETWEEN THE REBATE AND THE DOOR LEAF PANEL

### HARDWARE

- TWO SCREW-IN PINTLE HINGES
  - KEY LOCK, CYLINDER LOCK OR BATHROOM LOCK
- GLAZING - SATIN GLASS: KORA, SOFIA, MILANO, ALBA, METRIX

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

VENTILATION UNDERCUT

RECUPERATIVE SHORTCUT

PVC VENTILATION SLEEVES (additional charge applies to room and full version door leaves)

STEEL VENTILATION GRILL

REINFORCEMENT SOLID BOARD (third hinge required)

AUTOMATIC THRESHOLD

"100" DOOR LEAF

BLACK HINGES for rebated doors

REINFORCEMENT FOR DOOR CLOSER

PROTECTIVE PANEL INOX BOTTOM (TWO SIDES)


PROTECTIVE PANEL INOX VENTILATION (TWO SIDES)

PROTECTIVE PANEL INOX CENTRE (TWO SIDES)

DOUBLE-LEAF DOOR (leaf price x2 + surcharge)

SLIDING DOOR LEAF

## FULL



PRESENTED DECOR: SILVER OAK.

## AVAILABLE DECORS:

FINISH - COVERED LEAF: HDF LACQ.




white lacq.



whitened oak lacq.



silver oak lacq.



Scandinavian oak lacq.


## KORA



GLAZED 5/5

GLAZED 2/5

## METRIX



GLAZED 2/3

GLAZED 1/3

## ALBA



GLAZED 4/4

GLAZED 2/4

## SOFIA



GLAZED 3/3

GLAZED 1/3

## MILANO



GLAZED 4/4

GLAZED 2/4



SLIDING SYSTEMS

# SINGLE FRAMELESS CASSETTE

The frameless cassette is a sliding system for doors hidden in the wall without using a masking trim for the plasterboard wall. The original form result in the very modern, slightly austere character of the design. This solution enables a modern and simple room design.

Non-rebated sliding doors are not available with ventilation undercut. Ventilation sleeves are available.

Varnished non-rebated door leaves are made with edge in non-soft technology (there may be a slight colour difference).



Door leaf:

- Sliding door leaf in the non-rebated form
- PVC door pull handle mounted in a color close to the door leaf decor

NOTE: The door leaf cannot be installed and removed without disrupting the finished wall.

Available options at an extra charge:

- Door closer
- Round steel pull handle
- Oval steel pull handle
- Finger pull



DIMENSIONAL TABLE [MM]

Door leaf width [Sd]	Door leaf height [Hd]	Total system width [C]	Cassette length [D]	Clear opening width after door frame installation [E]	Clear opening width before door frame installation [F]	Cassette depth after door frame installation [G]	Clear opening height [H]	Total system height [H1]
644	2030	1308	640	602	648	654	2018	2115
744		1508	740	702	748	754		
844		1708	840	802	848	854		
944		1908	940	902	948	954		
1044		2108	1040	1002	1048	1054		



PRESENTED DECOR: WHITE MATT. MOBI 10.


SINGLE FRAMELESS CASSETTE

FRAME DOOR LEAVES	Model prices according to the catalog offer + surcharge, p. 16-99
PANEL DOOR LEAVES	Model prices according to the catalog offer + surcharge, p. 108-109, 118-119, 126-129
VARNISHED DOOR LEAVES FULL PLAIN	Model prices according to the catalog offer + surcharge, p. 136



# SINGLE POCKET SLIDING DOOR SYSTEM

The system for doors hidden in the wall, built-in with gypsum board in the configuration - single system. The system, entirely made of aluminum, allows the use of any type of non-rebated sliding door leaf (does not apply to glass door leaves).


When using a door leaf with a hook lock, choose a frame for G/K (plasterboard) with a hook lock strike. The cassette and frame for G/K with the strike plate should be installed on the finished floor.




Casing for the pocket sliding door system is available with 60 mm band



SINGLE CASSETTE G/K door leaf



PRESENTED DECOR: ASH. LUPUS MODEL.



Cassette G/K - single aluminium sliding system  
Door closer

DIMENSIONAL TABLE [MM]								
Door leaf width [Sd]	Door leaf height [Hd]	Total system width [C]	Cassette length [D]	Clear opening width after door frame installation [E]	Clear opening width before door frame installation [F]	Cassette depth after door frame installation [G]	Clear opening height [H]	Total system height [H1]
644	2030	1308	640	602	648	654	2018	2115
744		1508	740	702	748	754		
844		1708	840	802	848	854		
944		1908	940	902	948	954		
1044		2108	1040	1002	1048	1054		

## AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



\* decor available while stocks last

DOOR FRAME RANGE 125 - FIXED
DOOR FRAME RANGE (126-200) - SYMMETRIC*
DOOR FRAME RANGE (200-220) - ASYMMETRIC
DOOR FRAME RANGE (220-240) - ASYMMETRIC
DOOR FRAME RANGE (240-260) - ASYMMETRIC
DOOR FRAME RANGE (260-280) - ASYMMETRIC
DOOR FRAME RANGE (280-300) - ASYMMETRIC
DOOR FRAME RANGE (300-320) - ASYMMETRIC
DOOR FRAME RANGE (320-340) - ASYMMETRIC
DOOR FRAME RANGE (340-360) - ASYMMETRIC
DOOR FRAME RANGE (360-380) - ASYMMETRIC
DOOR FRAME RANGE (380-400) - ASYMMETRIC
DOOR FRAME RANGE (400-420) - ASYMMETRIC
DOOR FRAME RANGE (420-440) - ASYMMETRIC

\* architrave tongue to be cut by oneself for the needed range.


## DOOR FRAMES FOR THE DOUBLE POCKET SYSTEM



# DOUBLE POCKET SLIDING DOOR SYSTEM

The system for doors hidden in the wall, built-in with gypsum board in the configuration – double system. The system, entirely made of aluminum, allows the use of any type of non-rebated sliding door leaf (does not apply to glass door leaves).


When ordering a hook lock for double sliding doors, it is necessary to order a steel pull handle for the second door leaf and the strike plate.




- Cassette G/K – double aluminium sliding system
- Door closer
- Synchronization to double system

No possibility of connecting synchronizer and door closers.

Casing for the pocket sliding door system is available with 60 mm band



DOUBLE CASSETTE G/K door leaf




PRESENTED DECOR: WHITE MATT. PIANO 40.

DIMENSIONAL TABLE [MM]

Door leaf width [Sd]	Door leaf height [Hd]	Total system width [C']	Cassette pocket width [D]	Clear opening width without door frame [E']	Clear opening width without door frame [F']	Cassette pocket depth with door frame strips [G]	Clear opening height [Hp]	Total system height [H1]
644	2030	2575	640	1236	1295	653	2018	2115
744		2975	740	1436	1495	753		
844		3375	840	1636	1695	853		
944		3775	940	1836	1895	953		
1044		4175	1040	2036	2095	1053		

### AVAILABLE DECORS: FINISH – COVERED LEAF: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



\* decor available while stocks last

#### DOOR FRAME RANGE 125 – FIXED

DOOR FRAME RANGE (126-200) – SYMMETRIC\*

DOOR FRAME RANGE (200-220) – ASYMMETRIC

DOOR FRAME RANGE (220-240) – ASYMMETRIC

DOOR FRAME RANGE (240-260) – ASYMMETRIC

DOOR FRAME RANGE (260-280) – ASYMMETRIC

DOOR FRAME RANGE (280-300) – ASYMMETRIC

DOOR FRAME RANGE (300-320) – ASYMMETRIC

DOOR FRAME RANGE (320-340) – ASYMMETRIC

DOOR FRAME RANGE (340-360) – ASYMMETRIC

DOOR FRAME RANGE (360-380) – ASYMMETRIC

DOOR FRAME RANGE (380-400) – ASYMMETRIC

DOOR FRAME RANGE (400-420) – ASYMMETRIC

DOOR FRAME RANGE (420-440) – ASYMMETRIC

\* architrave tongue to be cut by oneself for the needed range.

# SINGLE WALL-MOUNTED SYSTEM

This solution enables easy and quick installation of the guide rail and the door leaf without interfering with the existing walls.

The door leaf slides along the wall on the rail installed above the door opening or fitted to the lintel.

The system set includes: aluminium rail with the length of 200 cm (SN 200/100 kg), sliding carriages, installation components and masking strip. A single wall-mounted sliding system can be made with a masking strip with the length of 150 cm.

Sliding system (aluminium rail + masking strip, length 200 or 150 cm, for "100" door leaves, the system with the length of 220 cm is recommended) | FF | 3D | CPL | PP

#### Door leaf:


- Sliding door leaf in the non-rebated form.
- PVC door pull handle mounted in a colour close to the door leaf decor.

#### Available options at an extra charge:

- Adjustable frame "tunnel" price for standard adjustable frame and V-Retto standard, pp. 188, 190-191.
- Fender beam: | FF | 3D | CPL | PP
- Round steel pull handle
- Oval steel pull handle\*
- Hook lock
- Finger pull (when ordering a hook lock, the finger pull is included in the price)
- Door closer

Varnished non-rebated door leaves are made with edge in non-soft technology (there may be a slight colour difference).



Non-rebated sliding doors are not available with ventilation undercut. Ventilation sleeves are available.




finger pull colours: silver, black




#### WITH CASING - TUNNEL




**DOOR CLOSER** - slows down the movement of the door leaf in the final phase of closing, while sliding it gently towards the door frame. It increases the safety of use of the door and prevents the door leaf from hitting the beam. For interior door leaves, except for glass door leaves.





#### FENDER BEAM



#### WITHOUT CASING



#### MASKING STRIP



FRAME DOOR LEAVES	Model prices according to the catalog offer + surcharge, p. 14-99
PANEL DOOR LEAVES, GLAZED	Model prices according to the catalog offer + surcharge, p. 108-109, 118-119, 126-133
VARNISHED DOOR LEAVES FULL PLAIN, GLAZED	Model prices according to the catalog offer + surcharge, p. 136-139

\*a hook lock cannot be ordered with an oval holder

# DOUBLE WALL-MOUNTED SYSTEM

This solution enables easy and quick installation of the guide rail and the door leaf without interfering with the existing walls.

The door leaf slides along the wall on the rail installed above the door opening or fitted to the lintel.

The system set includes: aluminium rail 2x200 cm length (SN 200/100 kg), sliding carriages, installation components and two-element masking strip.

It is possible to make a double wall-mounted sliding system with aluminium rail of length 2x150 cm.

Double sliding system (2x aluminum rail + two-elements masking strip)

FF | 3D | CPL | PP

Door leaf:

- Sliding door leaf in the non-rebated form.
- PVC door pull handle mounted in a color close to the door leaf decor.

Available options at an extra charge:

- Adjustable frame "tunnel" price for standard adjustable frame and V-Retto standard, pp. 188, 190-191.
- Round steel pull handle
- Oval steel pull handle\*
- Hook lock
- Finger pull (when ordering a hook lock, the finger pull is included in the price)
- Door closer for each door leaf
- Synchronization to double system

No possibility of connecting synchronizer and door closers.



Varnished, non-rebated door leaves are made with a non-soft edge technology (slight colour differences may occur).

Non-rebated doors are not available with ventilation undercut. Ventilation sleeves available.



Models: Tango - the glass application on the left door leaf is not a mirror image of the right door leaf.

When ordering a hook lock for double sliding doors, a steel pull handle for the second door leaf and a strike plate must also be ordered.

WITH CASING - TUNNEL




WITHOUT CASING




PRESENTED DECOR: BLACK MATT. PIANO 10.

## SYNCHRONIZATION TO DOUBLE SYSTEM




It synchronises the movement of door leaves in the double system: moving one of the door leaves of the system causes a symmetrical movement of the other door leaf.

For interior doors, excluding glass doors.



## MASKING STRIP



FRAME DOOR LEAVES	Model prices according to the catalog offer + surcharge, p. 14-99
PANEL DOOR LEAVES, GLAZED	Model prices according to the catalog offer + surcharge, p. 108-109, 118-119, 126-133
VARNISHED DOOR LEAVES FULL PLAIN, GLAZED	Model prices according to the catalog offer + surcharge, p. 136-139

\*a hook lock cannot be ordered with an oval holder



SLIDING SYSTEMS

# SYSTEM LOFT GLASS


**LOFT PURE GLASS** - a system that combines high level of aesthetics and functionality, designed for internal sliding glass doors.

The use of the Loft Pure Glass system will not only optically enlarge the space, but also emphasise the unique, modern and elegant character of the interior, full of sunlight and space.

### Advantages of the system:

- enables using glass panes in various finishes, which allows emphasising the individual character of the room, discreet separation, or integration with the overall interior design.
- the system provides additional light to the space, while optically enlarging it
- the colour of the hardware follows the latest trends in interior design
- the use of the Loft Pure Glass system adds lightness, elegance and modern look and feel to the interior

**Load capacity 70 kg**



WHITE TRANSPARENT GLASS „80”, „90”

TRANSPARENT GRAPHITE GLASS „80”, „90”

SYSTEM LOFT PURE GLASS

HOLDER



holder

VOSTER®



LOFT TRANSPARENT WHITE  
LOFT TRANSPARENT GRAPHITE





SLIDING SYSTEMS

# SYSTEM LOFT LINE

The loft line collection includes systems inspired by loft-vintage aesthetics.

The exposed mechanics components of the system in dark varnish coating colour adds a unique industrial character to the interior.

The system is not applicable to Vento and Mono door leaves.

A tunnel cannot be installed.

### Advantages of the system:

- Quiet and smooth movement thanks to bearing rollers
- Easy installation, enables setting the door in any position
- The varnish coating covering the guide rail and all components of the system is highly resistant to mechanical damage and also prevents dust accumulation.

Sliding system **LOFT LINE**


Sliding system **LOFT LINE XL**

Sliding system **DOUBLE LOFT LINE**

Sliding system **DOUBLE LOFT LINE XL**


### Accessories for an additional charge:

- **Door closer**
- **Recessed door pull handle**
- **External pull handle**
- **The bottom rail** is mounted to the wall, the installation does not require drilling holes in the floor
- **The guide rail clamp** allows for the installation of the LOFT LINE double system
- **Guide rail bracket**



\* roller available in two sizes  
 \*\* applicable to LOFT door model

**MAX. DOOR WEIGHT 100 kg**  
 MAX. DOOR WIDTH 945 mm  
 GUIDE RAIL LENGTH 2000 mm  
 COATING COLOUR: BLACK MATT



PRESENTED DECOR: AUREA OAK. FULL PLAIN DOOR.



LOFT LINE



LOFT LINE XL



double system

# WALL-MOUNTED ALUMINUM SYSTEM

Aluminum single wall-mounted sliding system.

The system does not apply to VENTO and MONO door leaves.

**Description:**

A system for interior doors that combines elegant design and smooth lines with a strong, rigid guide construction and unique SLX hardware. The rail is made of high-quality anodized aluminum.

**It features:**






- Pre-drilled mounting holes,
- Reinforced walls for stability and noise reduction,
- The “click” system allowing quick and easy installation of the masking strip as well as the wall-mounted profile directly onto the rail,
- A simple and intuitive installation system.

**Maximum load capacity: 100 kg per door leaf.**

No possibility to install a tunnel frame and fender beam.

**Available option at an extra charge:**

- A dust brush that can be used to cover the gap between the upper edge of the door and the masking strip. The brush is available in grey colour.





SLIDING SYSTEMS




# MAGPLUS

## MAGPLUS system with concealed rail system

The system is available with a non-rebated panel door leaves MAG type.

The MAGPLUS sliding system includes a micrometric adjustment mechanism that allows for both vertical and horizontal adjustments to correct any wall irregularities.

For increased smoothness of movement, the system is equipped with a metal bottom rail.



DESIGNATION	DESCRIPTION	WIDTH		
		80	90	100
Ss	DOOR LEAF WIDTH	844	944	1044
So	WIDTH OF THE WALL OPENING	590	690	790
Hs	DOOR LEAF HEIGHT	2100	2100	2100
Ho	HEIGHT OF THE WALL OPENING	2000	2000	2000
L*	LENGTH OF THE TOP STRIP OF THE SYSTEM	841	941	1041
J*	LENGTH OF THE BOTTOM STRIP	671	771	871

\* for self-trimming



VOSTER®

PRESENTED DECOR: CLAY.

### AVAILABLE DECORS: FINISH - COVERED LEAF: FINISH FOIL, 3D FOIL, PP PLATINIUM



#### SYSTEM MAGPLUS

DOOR LEAF + PULL HANDLE SILVER OR BLACK | FF | 3D | PP

SOLID BOARD FILLING

BRASS VENTILATION SLEEVES

# INTERIOR ENTRANCE DOORS



## MAXUS RC2



INTERIOR  
ENTRANCE DOORS

**VOSTER**<sup>®</sup>

The Maxus RC2 anti-burglary doors have an acoustic rating of  $R_w=34$  dB (Basic),  $R_w=39$  dB (Silence), as well as burglary resistance class RC2 according to PN\_EN 1627:2021-11\*. Maxus RC2 remains burglar-resistant only as a part of a complete set: the door leaf with a dedicated frame, a stainless steel threshold, handle and escutcheon (at least class 2), and a cylinder (at least class 4 anti-burglary resistance).



### INCLUDED IN THE DOOR SET:

- DOOR LEAF
- FIXED DOOR FRAME MADE OF GLUED LAMINATED TIMBER
- STAINLESS STEEL THRESHOLD



### CONSTRUCTION:

- REBATED DOOR LEAF
- SOFTWOOD DOOR LEAF FRAME, COVERED WITH FOILED HDF BOARDS
- DOOR LEAF THICKNESS 44 MM
- FILLING WITH THREE COMBINED BOARDS (BASIC)
- FILLING WITH THE SPECIAL ACOUSTIC BOARD (SILENCE)
- FIXED DOOR FRAME MADE OF GLUED LAMINATED TIMBER



### FINISH

- COVERED LEAF
- 3D - 3D FOIL, - CPL LAMINATE,
- PP PLATINIUM



### HARDWARE :

- FOUR ADJUSTABLE 2-PINTLE HINGES
- FIVE STEEL SECURITY BOLTS
- BURGLAR-RESISTANT DOUBLE-HOOK ESPAGNOLETTE WITH BOTTOM LOCK
- IN THE FRAME: MULTIPOINT STRIKE PLATE WITH MOVABLE PLATES FOR HOOK LOCKS
- STAINLESS STEEL THRESHOLD

### THE ACOUSTIC ISULATION:

- 39DB (BASIC), 39DB (SILENCE)

\* MAXUS RC2 (BASIC) opens inward and outward  
\* MAXUS RC2 (SILENCE) opens inward



INTERIOR  
ENTRANCE DOORS

# MAXUS RC2

STANDARD



AVAILABLE WIDTHS:  
"80", "90", "100"

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

TWO-COLOUR DOOR LEAF

ONTARIO INOX HANDLE

ONTARIO BLACK HANDLE

MASKING BAND

SOFT MASKING BAND

WIDTH "100"

EXTENSION PANELS (page 172)

CYLINDER 30/40

WIDE-ANGLE PEEPHOLE (COLOUR: CHROME, BLACK) – no drill for the peephole

EXTERNAL DOOR CLOSER

HINGE COVERS Ø16 for door leaf and frame


ACOUSTICS 39 DB (SILENCE)



VOSTER®

PRESENTED DECOR: CLAY.

## AVAILABLE DECORS: FINISH – COVERED LEAF: 3D FOIL, CPL LAMINATE, PP PLATINIUM



### TWO-COLOUR DOOR LEAF:

We offer the option to purchase two-colour RC2 doors, available in the colours shown alongside. When selecting decors, please specify the sides of the leaf: obverse/reverse/edge, as shown on page 159 of the catalogue. The door edge can be matched to the obverse, reverse, or be black. The colour of the seal applied to the door leaf will match the selected edge colour. Door frames are only offered in a single decor. The colour of the seal in the door frame will match the colour of the frame.



\* not available for the "100" width

# INTERIOR ENTRANCE DOORS

## SOLLER


3D HINGES  
Ø16



PEEPHOLE



SECURITY BOLTS



UPPER LOCK



BOTTOM LOCK



HANDLES AND ESCUTCHEONS  
POLANKA



STAINLESS STEEL THRESHOLD



INTERIOR  
ENTRANCE DOORS



### CONSTRUCTION





- **REBATED** DOOR LEAF
- GLUED LAMINATED TIMBER PROFILES
- SOUND-ABSORBING BOARD
- DOOR LEAF THICKNESS 44 MM

### FINISH

- COVERED LEAF
- **3D** - 3D FOIL

### HARDWARE

- THREE 3D HINGES
- TWO THREE-BOLT LOCKS
- SECURITY BOLTS
- STRIKE PLATE WITH ADJUSTMENT OF LEAF PRESSURE AGAINST THE DOOR FRAME





### AVAILABLE WIDTHS

- THE "80N", "80N30", "80N40" SIZES ARE ONLY AVAILABLE FOR DOOR LEAVES IN COMBINATION WITH FIXED DOOR FRAME



### THE ACOUSTIC ISULATION 32 DB

NATIONAL TECHNICAL ASSESSMENT ITB-KOT-2020/1291 EDITION 1 (RW=32). THE ACOUSTIC INSULATION IS APPLICABLE TO SOLLER DOOR LEAVES WITH MDF DOOR FRAME.





INTERIOR  
ENTRANCE DOORS

# SOLLER

## STANDARD



AVAILABLE WIDTHS:  
"80", "80N", "80N30",  
"80N40", "90", "100"

THE "80N", "80N30", "80N40" SIZES  
ARE ONLY AVAILABLE FOR DOOR  
LEAVES IN COMBINATION WITH  
FIXED DOOR FRAME

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

TWO-COLOUR DOOR LEAF

MDF DOOR FRAME BASE

MDF DOOR FRAME BEAM "80"- "100"

MDF ADJUSTABLE DOOR FRAME (page 177)

FIXED METAL FRAME (page 176)

ADJUSTABLE METAL DOOR FRAME (page 176)

MASKING BAND

SOFT MASKING BAND

WIDTH "100"

UPPER LOCK

POLANKA HANDLE (COLOUR: NICKEL, BLACK)

UPPER ESCUTCHEON POLANKA (COLOUR: NICKEL, BLACK)

CYLINDER 31/46 DMO

CYLINDERKNOB DMO

WIDE-ANGLE PEEPHOLE (COLOUR: CHROME, BLACK) – no drill for  
the peephole

VIDEO CAMERA – no drill for the video camera

AUTOMATIC THRESHOLD IN DOOR LEAF

STEEL THRESHOLD


EXTERNAL DOOR CLOSER

HINGE COVERS Ø16 for door leaf and frame



PRESENTED DECOR: ITALIAN WALNUT.

## AVAILABLE DECORS: FINISH – COVERED LEAF: 3D FOIL



### TWO-COLOUR DOOR LEAF:

We offer the option to purchase two-colour SOLLER doors, available in the colours shown alongside. When selecting decors, please specify the sides of the leaf: obverse/reverse/edge, as shown on page 163 of the catalogue. The door edge can be matched to the obverse, reverse, or be black. The colour of the seal applied to the door leaf will match the selected edge colour. Door frames are only offered in a single decor. The colour of the seal in the door frame will match the colour of the frame.

### DOOR SET:

door leaf – two locks + MDF frame + POLANKA handle and escutcheon + steel threshold + peephole (no drill for peephole) + cylinder and cylinderknob DMO




### DOOR LEAF:

"80", "80N", "80N30",  
"80N40" i "90"

# INTERIOR ENTRANCE DOORS

## SELVA 10, 20, LACO

DOOR CLOSER



3D HINGES



HINGE COVERS



SECURITY BOLTS



AUTOMATIC THRESHOLD




STAINLESS STEEL THRESHOLD



PEEPHOLE VIDEO CAMERA



UPPER LOCK



BOTTOM LOCK



HANDLES AND ESCUTCHEONS SHARK



INTERIOR  
ENTRANCE DOORS



### CONSTRUCTION

- REBATED DOOR LEAF
- GLUED LAMINATED TIMBER PROFILES
- STABILISING STEEL PROFILE
- SOUND-ABSORBING BOARD
- DOOR LEAF THICKNESS 44 MM

### FINISH





- COVERED LEAF
- CPL LAMINATE, PP PLATINIUM

### HARDWARE

- THREE 3D HINGES
- THREE-BOLT BOTTOM LOCK (TWO LOCKS SOLD IN A SET)
- SECURITY BOLTS
- STRIKE PLATE WITH ADJUSTMENT OF LEAF PRESSURE AGAINST THE DOOR FRAME

### EQUIPMENT

- MDF DOOR FRAME
- SEAL IN THE DOOR LEAF AND DOOR FRAME





### AVAILABLE WIDTHS

- "80", "80N", "80N30", "80N40", "90", "100"
- THE "80N", "80N30", "80N40" SIZES ARE ONLY AVAILABLE FOR DOOR LEAVES IN COMBINATION WITH FIXED DOOR FRAME



### THE ACOUSTIC ISULATION 32 dB, 37 dB

National technical assessment ITB-KOT-2020/1291 edition 1 (rw=32).  
National technical assessment ITB-KOT-2020/1291 edition 1 (rw=37).  
The acoustic insulation is applicable to SELVA, SELVA 10, SELVA 20, SELVA LACO door leaves with mdf or metal door frame.





INTERIOR  
ENTRANCE DOORS

# SELVA

## STANDARD



AVAILABLE WIDTHS:  
"80", "80N", "80N30",  
"80N40", "90", "100"

THE "80N", "80N30", "80N40" SIZES  
ARE ONLY AVAILABLE FOR DOOR  
LEAVES IN COMBINATION WITH  
FIXED FOOR FRAME, TECH. INFO.  
P. 166- 167

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- TWO-COLOUR DOOR LEAF
- MDF DOOR FRAME BASE
- MDF DOOR FRAME BEAM "80"- "100"
- MDF ADJUSTABLE DOOR FRAME (page 177)
- FIXED METAL FRAME (page 176)
- ADJUSTABLE METAL DOOR FRAME (page 176)
- MASKING BAND
- SOFT MASKING BAND
- "100" DOOR LEAF
- UPPER LOCK
- SHARK HANDLE (COLOUR: INOX, BLACK)
- UPPER ESCUTCHEON SHARK (COLOUR: INOX, BLACK) – mounting holes for screws only when purchasing the complete set
- CYLINDER 31/46 DMO
- CYLINDERKNOB DMO
- WIDE-ANGLE PEEPHOLE (COLOUR: CHROME, BLACK) – no drill for the peephole
- VIDEO CAMERA – no drill for the video camera
- AUTOMATIC THRESHOLD IN DOOR LEAF
- STEEL THRESHOLD
- EXTERNAL DOOR CLOSER
- HINGE COVERS Ø16 for door leaf and frame
- ACOUSTICS 37 DB (applicable to the door set or door leaf SELVA, SELVA 10, SELVA 20, SELVA LACO)



PRESENTED DECOR: BAWARIA OAK.

## AVAILABLE DECORS: FINISH – COVERED LEAF: CPL LAMINATE, PP PLATINIUM



### TWO-COLOUR DOOR LEAF:

We offer the option to purchase two-colour SELVA doors, available in the colours shown alongside. When selecting decors, please specify the sides of the leaf: obverse/reverse/edge, as shown on page 167 of the catalogue. The door edge can be matched to the obverse, reverse, or be black. The colour of the seal applied to the door leaf will match the selected edge colour. Door frames are only offered in a single decor. The colour of the seal in the door frame will match the colour of the frame.

Opening directions - outward or inward.  
The direction of opening is determined by the choice of cylinderknob.



Inlay width  
6 mm.  
Black colour.

10

20

## DOOR SET:

set (door leaf - two locks + MDF frame + SHARK handle and escutcheon + steel threshold + peephole (no drill for peephole) + cylinder + cylinderknob DMO)



INTERIOR  
ENTRANCE DOORS

# SELVA LACO

## STANDARD



AVAILABLE WIDTHS:  
"80", "80N", "80N30",  
"80N40", "90", "100"

THE "80N", "80N30", "80N40" SIZES  
ARE ONLY AVAILABLE FOR DOOR  
LEAVES IN COMBINATION WITH  
FIXED DOOR FRAME

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

### TWO-COLOUR DOOR LEAF

MDF DOOR FRAME base

MDF DOOR FRAME beam "80"- "100"

MDF ADJUSTABLE DOOR FRAME (page 177)

MASKING BAND

FIXED METAL FRAME (page 176)

ADJUSTABLE METAL DOOR FRAME (page 176)

SOFT MASKING BAND

WIDTH "100"

UPPER LOCK

SHARK HANDLE (COLOUR: INOX, BLACK)

TOP ESCUTCHEON SHARK (COLOUR: INOX, BLACK) - moun-  
ting holes for screws only when purchasing the complete set

CYLINDER 31/46 DMO

CYLINDERKNOB DMO

WIDE-ANGLE PEEPHOLE (COLOUR: CHROME, BLACK) - no  
drill for the peephole

VIDEO CAMERA - no drill for the video camera

AUTOMATIC THRESHOLD IN DOOR LEAF

STEEL THRESHOLD

EXTERNAL DOOR CLOSER

HINGE COVERS Ø16 for door leaf and frame

ACOUSTICS 37 dB (applicable to the door set or door leaf  
SELVA, SELVA 10, SELVA 20, SELVA LACO)



PRESENTED DECOR: LATTE OAK.

## AVAILABLE DECORS: FINISH - COVERED LEAF: CPL LAMINATE, PP PLATINIUM




### TWO-COLOUR DOOR LEAF:

We offer the option to purchase two-colour SELVA doors, available in the colours shown alongside. When selecting decors, please specify the sides of the leaf: obverse/reverse/edge, as shown on page 167 of the catalogue. The door edge can be matched to the obverse, reverse, or be black. The colour of the seal applied to the door leaf will match the selected edge colour. Door frames are only offered in a single decor. The colour of the seal in the door frame will match the colour of the frame.

Opening directions - outward or inward.  
The direction of opening is determined  
by the choice of cylinderknob.



SELVA LACO



LACOBEL GLASS GLUED TO  
THE HDF BOARD, FLUSH WITH  
THE DOOR LEAF SURFACE

## DOOR SET:

set (door leaf - two locks + MDF frame + SHARK handle  
and escutcheon + steel threshold + peephole (no drill  
for peephole) + cylinder + cylinderknob DMO)

# EXTENSION PANELS

FOR INTERNAL ENTRANCE DOORS




SELVA DOORS IN BLACK MATT, ALONG WITH SIDE AND TOP EXTENSION PANELS IN BLACK MATT.



**AVAILABLE DECORS:** FINISH - PANEL OKLEJONY: 3D FOIL, CPL  
LAMINATE, PP PLATINIUM




TOP PANEL - FIXED DOOR FRAME FOR SOLLER, SELVA DOORS



TOP PANEL - ADJUSTABLE FRAME FOR DOORS SOLLER, SELVA




TOP PANEL - FIXED FRAME FOR MAXUS RC2 DOORS



Example of selecting the dimensions for the top panel and side panels: for a door width of 90 cm: 1028 mm + left panel 200 mm + right panel 300 mm = top panel 1528 mm.

# DOOR FRAME FOR MAXUS RC2


FIXED DOOR FRAME MADE OF GLUED LAMINATED TIMBER




DIMENSION	A	B	C	D	E	F
	Clear opening width in the door frame	Total door leave width	External door frame width	Clear opening height (without threshold)	Total door leaf height	External door frame height
80	818	860	926	2014	2030	2068
90	918	960	1026	2014	2030	2068
100	1018	1060	1126	2014	2030	2068

# DOOR FRAME FOR SOLLER, SELVA

MDF FIXED DOOR FRAME



\*APPLICABLE TO THE SELVA DOOR LEAF (STEEL REINFORCEMENT)



DIMENSION	A	B	C	D	E	F	G	H	I	J
	Clear opening width in the door frame	Door frame internal width (space for the door leaf)	Internal door leaf width	Total door leave width	External door frame width	Door frame internal height (space for the door leaf)	Clear opening height (without threshold)	Door leaf height (floor to rebate)	Total door leaf height (from the floor)	External door frame height
80N30	774	796	790	816	862	2029	2018	2026	2039	2062
80N40	774	796	790	816	862	1939	1928	1936	1949	1972
80N	774	796	790	816	862	1982	1971	1979	1992	2015
80	818	840	834	860	906	2029	2018	2026	2039	2062
90	918	940	934	960	1006	2029	2018	2026	2039	2062
100	1018	1040	1034	1060	1106	2029	2018	2026	2039	2062

# DOOR FRAME FOR SOLLER, SELVA

## METAL DOOR FRAMES

### I. FIXED DOOR FRAME

80-90
100

### II. ADJUSTABLE DOOR FRAME





#### Adjustable steel door frames 80-90

95 - 125
125 - 155
155 - 185
185 - 215
215 - 245
245 - 275
275 - 305

#### Adjustable steel door frames 100


95 - 125
125 - 155
155 - 185
185 - 215
215 - 245
245 - 275
275 - 305

#### AVAILABLE DECORS:



# DOOR FRAME FOR SOLLER, SELVA

## MDF ADJUSTABLE DOOR FRAME





The base board is not flush with the wall. During installation, the base board must be fitted together with the fixed architrave.

- 3D - CPL - PP

base
beam
extension board 100 mm
extension board 200 mm
extension board 300 mm
architrave set

each element to be ordered separately

Extension size "A"	Obtained min. range (after cutting the extension board)	Obtained max. range
100	120	190
200	120	290
300	120	390



DIMENSION	A	B	C	D	E	F
	Clear opening width in the door frame	Width from rebate to rebate	Total door frame width (without clearance for foam)	Clear opening in the door frame	Total set width (with 80 mm band)	Total set width (with 80 mm band)
80	818	840	906	818	1053	1033
90	918	940	1006	918	1153	1133
100	1018	1040	1106	1018	1253	1233

# INTER EI30, EI60 FIRE-RESISTANT

The fire protection, smoke protection and acoustic insulation functions are only ensured by the installation of the complete set, which includes: fire protection door leaf (factory-fitted with acoustic seal, hinges, lock, automatic threshold), wooden door frame (with fire-proof, intumescent-smoke-proof and acoustic seal), metal threshold, door closer and an cylinder and handle meeting the requirements of the Polish Norm.

DOOR CLOSER



PEEPHOLE



LOCK




UNO HANDLE



AHW HANDLE



3D HINGES



AUTOMATIC THRESHOLD



STAINLESS STEEL THRESHOLD



**CONSTRUCTION**

- REBATED DOOR LEAF
- SOFTWOOD PROFILE
- DOOR LEAF THICKNESS EI30 - 50 mm, EI60 - 60 mm
- FILLING WITH THE SPECIAL HALSPAN BOARD
- FIRE SEAL
- SMOKE SEAL
- AUTOMATIC THRESHOLD

**FINISH**



- COVERED LEAF
- 3D FOIL, C-PL LAMINATE, PP PLATINIUM

**HARDWARE**

- FOUR HINGES 3D (EI 30)
- FOUR HINGES 3D (EI 60)
- BOTTOM LOCK

**EQUIPMENT**

- WOODEN DOOR FRAME
- SEAL IN THE DOOR LEAF AND DOOR FRAME



DIMENSION	A	B	C	D	E	F	G	H	I	J
	Clear opening width in the door frame	Door frame internal width (space for the door leaf)	Internal door leaf width	Total door leave width	External door frame width (without clearance for foam)	Door frame internal height (space for the door leaf)	Clear opening height (without threshold)	Door leaf height (floor to rebate)	Total door leaf height (from the floor)	External door frame height (without clearance for foam)
EI 30 "90"	918	942	934	960	1026	2026	2014	2022	2035	2068
EI 30 "100"	1018	1042	1034	1060	1126					
EI 60 "90"	920	944	934	960	1028	2026	2014	2022	2035	2068
EI 60 "100"	1020	1044	1034	1060	1128					



INTERIOR  
ENTRANCE DOORS

# INTER EI30, EI60

EI 30 – National Technical Assessment ITB-KOT-2018/0407 edition 1  
Edition 1 and National Certificate of Constasy of Performance No.  
020-UWB-0567/W.

EI 60 – National Technical Assessment ITB-KOT-2018/0407 edition 1.  
The door leaf and door frames are suitable for installing a door closer.

Acoustic insulation rating  $R_w=32$  dB.

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

CYLINDER HEKTOR

UNO HANDLE (COLOUR: NICKEL, BLACK)

ESCUTCHEON UNO (COLOUR: NICKEL, BLACK)

WIDTH "100"

UPPER LOCK

AHW HANDLE

AHW ESCUTCHEON

DOOR CLOSER

FIRE-RATED PEEPHOLE (no drill for the peephole)

STAINLESS STEEL THRESHOLD WITH SEAL



PRESENTED DECOR: WHITE MATT.

## AVAILABLE DECORS: FINISH – COVERED LEAF: 3D FOIL, CPL LAMINATE, PP PLATINIUM



\* not available for the "100" width








# INTER EI30, EI60 DOUBLE DOOR

## AVAILABLE OPTIONS AT AN EXTRA CHARGE

- CYLINDER HEKTOR
- UNO HANDLE (COLOUR: NICKEL, BLACK)
- ESCUTCHEON UNO (COLOUR: NICKEL, BLACK)
- AHW HANDLE
- ESCUTCHEON AHW
- DOOR CLOSER
- FIRE-RATED PEEPHOLE (no drill for the peephole)
- STAINLESS STEEL THRESHOLD WITH SEAL



DIMENSION	A	B	C	D	E	F	G	H
	Clear opening width in the door frame	Total door frame width (without clearance for foam)	Total door leaves width (with 3 mm clearance)	Internal door leaves width	Total active door leaf width	Total passive door leaf width	External door frame height (without clearance for foam)	Total door leaf height
130	1366	1474	1410	1384	960	460	2062	2030
140	1466	1574	1510	1484	960/1060	560/460	2062	2030
150	1566	1674	1610	1584	960/1060	660/560	2062	2030
160	1666	1774	1710	1684	960/1060	760/660	2062	2030
170	1766	1874	1810	1784	960/1060	860/760	2062	2030
180	1866	1974	1910	1884	960/1060	960/860	2062	2030

## AVAILABLE DECORS: FINISH - COVERED LEAF: 3D FOIL, CPL LAMINATE, PP PLATINIUM



\* not available for the "100" width



PRESENTED DECOR: WHITE MATT.




# V-RETTO

## NON-REBATED ADJUSTABLE DOOR FRAME

V-Retto = 90° frame joint + 80 mm band  
 Range of V-Retto non-rebated adjustable frames: **FF**, **3D**, **CPL**, **PP**  
 One-element door frames: 80-100 to 300-340  
 Two-element door frames: 340-380 to 420-460

- The prices are applicable to door frames with the width of "60" - "100"
- Door frame band width - 80 mm
- Additional charge: Door frames for double-leaf doors, price +30%, not applicable to the MAGNETIC and LOFT collections.
- Price of tunnel door frame = price of door frame V-Retto Standard (p. 188)
- Third hinge. When choosing the door in size "100", it is recommended to use a 3rd hinge



non-rebated door leaves in norm CZ are 26 mm wider (tech. info., p. 214)

ADJUSTMENT RANGES
80-100*
100-140
140-180
180-220
220-260
260-300
300-340
340-380
380-420
420-460

\* Architrave 80X45 mm.  
 Additional charge: for a double-leaf frame +30%  
 Door frames in higher ranges available in B2B panel


AVAILABLE DECORS: FINISH - FRAME COVERED: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



\* decor available while stocks last

# V-RETTO 220

## NON-REBATED ADJUSTABLE DOOR FRAME



ADJUSTMENT RANGES
80-100*
100-140
140-180
180-220
220-260
260-300
300-340
340-380
380-420
420-460


\*\* Architrave 80X45 mm. Additional charge: for a double-leaf frame +30%  
 Door frames in higher ranges available in B2B panel.

AVAILABLE DECORS: FINISH - FRAME COVERED: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM





\* decor available while stocks last

# NON-REBATED FIXED DOOR FRAME





- Left, right base
- Upper beam "60" - "100"
- Base for double door
- Beam for double door
- Masking band 60x8x5500 mm
- Masking band 70x12x5500 mm
- Quarter round 18x18 mm
- Masking band 60x8 mm for double door
- Masking band 70x12 mm for double door
- Quarter round 18x18 mm for double door



**Additional charge: Third hinge**  
When choosing the door in size "100", it is recommended to use a 3rd hinge.


Non-rebated door leaves in norm CZ are 26 mm wider (tech. info., p. 214)

# REVERSE NON-REBATED ADJUSTABLE DOOR FRAME



ADJUSTMENT RANGES
70-90
90-130
130-170
170-210
210-250
250-290
290-330
330-370
370-410
410-450

One-element door frames:  
70-90 do 250-290  
Two-element door frames:  
290-330 do 410-450




**Additional charge: Third hinge**  
Door frames in higher ranges available in B2B panel

AVAILABLE DECORS: FINISH - FRAME COVERED: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



\* decor available while stocks last

AVAILABLE DECORS: FINISH - FRAME COVERED: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



# V-RETTO STANDARD

## REBATED ADJUSTABLE DOOR FRAME

Ranges of non-rebated adjustable door frame V-Retto:

FF, 3D, CPL, PP

One-element door frames:

80-100 to 300-340

Two-element door frames:



340-380 to 420-460

- The prices are applicable to door frames with the width of "60" - "100"
- Door frame band width - 80 mm
- Additional charge: Door frames for double-leaf doors, price +30%
- V-Retto = door frame connection at the angle of 90° + 80 mm band

### ADJUSTMENT RANGES



80-100*
100-140
140-180
180-220
220-260
260-300
300-340
340-380
380-420
420-460

\*Architrave 80X45 mm  
Additional charge: for a double-leaf frame +30%  
Door frames in higher ranges available in B2B panel



# V-RETTO STANDARD 220H

## REBATED ADJUSTABLE DOOR FRAME




### ADJUSTMENT RANGES

80-100*
100-140
140-180
180-220
220-260
260-300
300-340
340-380
380-420
420-460

\*Architrave 80X45 mm  
Additional charge: for a double-leaf frame +30%  
Door frames in higher ranges available in B2B panel

AVAILABLE DECORS: FINISH - FRAME COVERED: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



\*decor available while stocks last

AVAILABLE DECORS: FINISH - FRAME COVERED: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



# ADJUSTABLE REBATED STANDARD DOOR FRAME



- The prices are applicable to door frames with the width of "60" - "100"
- Additional charge: Door frames for double-leaf doors, price +30%
- Door frames in higher ranges than 420 mm available in the B2B panel.
- Price of tunnel door frame = price of adjustable door frame
- Door frame for glass door leaf - there is a difference compared to standard adjustable door frames - it is necessary to take into account the type of door frame in the order.

ARCHITRAVE 60x45 mm ADJUSTMENT RANGES
60-80
80-100
100-120
120-140
140-160
160-180
180-200
200-220
220-240
240-260
260-280
280-300
300-320
320-340
340-360
360-380
380-400
400-420

**Additional charge: frames for PLATO door leaves, double-leaf frame +30%.**  
**Door frames in higher ranges available in the B2B panel.**

ARCHITRAVE 80x65 mm ADJUSTMENT RANGES
80-100*
100-140
140-180
180-220
220-260
260-300
300-340
340-380
380-420


**Additional charge: double-leaf frame +30%**  
**\* Architrave 80x45 mm**  
**Door frames in higher ranges available in the B2B panel.**






Ranges of adjustable door frames:

FF, 3D, CPL, PP

One-element door frames: 80-100 to 300-320  
 Two-element door frames: 320-340 to 400-420




There may be a slight colour difference between the frames and the varnished leaves




Door frames above the 460 mm range are available on individual request.

**AVAILABLE DECORS:** FINISH - FRAME COVERED: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



\* decor available while stocks last

# CASING DOOR FRAME FOR STEEL DOOR FRAMES



The installation of the casing door frame results in a reduction of the clear opening. Before installing the handles and escutcheons, their width should be checked with the door leaf closed. There may be a slight colour difference between the frames and the varnished leaves.




Ranges of casing door frames:




- FF, 3D, CPL, PP
- One-element door frames: 60-80 do 260-280
- Two-element door frames: 280-300 do 400-420

ADJUSTMENT RANGES	
For steel frame inst. 60 mm set (60-80)	
For steel frame inst. 80 mm set (80-100)	
For steel frame inst. 100 mm set (100-120)	
For steel frame inst. 120 mm set (120-140)	
For steel frame inst. 140 mm set (140-160)	
For steel frame inst. 160 mm set (160-180)	
For steel frame inst. 180 mm set (180-200)	
For steel frame inst. 200 mm set (200-220)	
For steel frame inst. 220 mm set (220-240)	
For steel frame inst. 240 mm set (240-260)	
For steel frame inst. 260 mm set (260-280)	
For steel frame inst. 280 mm set (280-300)	
For steel frame inst. 300 mm set (300-320)	
For steel frame inst. 320 mm set (320-340)	
For steel frame inst. 340 mm set (340-360)	
For steel frame inst. 360 mm set (360-380)	
For steel frame inst. 380 mm set (380-400)	
For steel frame inst. 400 mm set (400-420)	

Door frames above the 420 mm range available in B2B panel



# FIXED DOOR FRAME



Black hinges available only in reinforced door frame with sockets




## FIXED DOOR FRAME

- Left, right base
- Reinforced base (sockets)
- Reinforced base (sockets) Plato door leaf
- Upper beam "60" - "100"
- Base for double-leaf frame
- Reinforced base (sockets) for double-leaf frame
- Upper beam for double door
- Masking band 60x8x5500 mm
- Masking band 70x12x5500 mm
- Masking band 60x8 mm for double door
- Masking band 70x12 mm for double door
- Quarter round 18x18 mm
- Quarter round 18x18 mm for double door

There may be a slight colour difference between the frames and the varnished leaves

## AVAILABLE DECORS: FINISH - FRAME COVERED: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM





## AVAILABLE DECORS: FINISH - FRAME COVERED: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



# STEEL DOOR FRAME FOR INTERIOR LEAVES



## ADJUSTABLE



### ADJUSTABLE DOOR FRAME

95 - 125
125 - 155
155 - 185
185 - 215
215 - 245
245 - 275
275 - 305
305 - 335
335 - 365


## FIXED



### FIXED DOOR FRAME

"80"-"90"
"100"

### AVAILABLE COLOURS:



INTARSIA  
p. 126-129





SARA PRO  
H220  
p. 114-115



# TOP PANELS FOR V-RETTO AND REVERSE ADJUSTABLE FRAMES



# TOP PANELS FOR STANDARD ADJUSTABLE FRAMES



## AVAILABLE DECORS:



## AVAILABLE DECORS:



# OPENWORK FOR SLIDING DOORS




**Openwork** – decorative panel made of powder-coated 0.7 mm sheet metal in RAL 9005 black colour.

Factory-placed on door leaf surface. Designed for plain door leaves in the sliding system in non-rebated form. Not applicable to full HDF lacq. door leaves.

**OPENWORK** can be made on both sides of the door leaf – price x2.





**Width available** in norm PL  
80, 90, 100

**Additional charge:**  
Round steel pull handle, black, 1 set.



# BAND 100 OR

Band dedicated for the adjustable door frame standard with 60x45 mm architrave



**AVAILABLE DECORS:** FINISH – BAND COVERED: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



\*decor available while stocks last

# PROTECTIVE PANEL



Protective panel inox centre (two sides)




Protective panel inox bottom (two sides)




Protective panel inox ventilation (two sides)




Protective panel with ventilation – dimensions for a door leaf with a width of "80", rebated door leaf, obverse side




Central protective panel with holes for bathroom lock/key/cylinder




Central protective panel with holes for the economic lock




STEEL VENTILATION GRILL



AVAILABLE COLOURS:



# SKIRTING BOARD




Skirting boards packaged in sets of 5 pcs., length 2050 mm. Skirting boards are only sold in a set.

Skirting board 80x16x2050 mm / 1 set

AVAILABLE OPTION AT AN EXTRA CHARGE:  
- MOUNTING BRACKETS FOR SKIRTING BOARD, 1 SET (30 PIECES)



AVAILABLE DECORS: FINISH – SKIRTING BOARD COVERED: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM



\* decor available while stocks last

# DECORATIVE LAMELLAS



**Lamellas** – a decorative component designed for both wall and ceiling decoration.

A lamella consists of two components:  
 – mounting strip, mounted directly on the wall or ceiling using the assembly adhesive or screws  
 – “U”-profile covered with decorative foil, installed on the mounting strip.  
 The lamella is made of MDF board and covered with foil:

FF, 3D, CPL, PP

Lamellas packaged in sets of 4 pieces.  
 Length 2800 mm.  
 Package weight: 14 kg.  
 The lamellas are only sold in a set





Due to the non-standard dimensions of the packaging (length over 2800 mm), additional transport costs must be added in some cases:

- weight up to 30 kg (1-2 sets)
- weight up to 500 kg

For any additional transport costs, please ask at the point of sale.

Unedged lamellas – to be cut by oneself.



AVAILABLE DECORS: FINISH – LAMELLA COVERED: FINISH FOIL, 3D FOIL, CPL LAMINATE, PP PLATINIUM





\* decor available while stocks last

# HANDLES



APOLLO Fit **NEW**



KSH **NEW**



ESCUTCHEON RFO KEY, CYLINDER BATHROOM LOCK


Escutcheons also available in: gold, titanium, chrome matt

POLO **NEW**



ESCUTCHEON RRT KEY, BATHROOM LOCK ESCUTCHEON RFO CYLINDER


GAMELLO **NEW**



ESCUTCHEON RCO KEY, CYLINDER BATHROOM LOCK

# HANDLES

## Handles on a square rose slim-type



### ADEL-QRS Slim



chrome lacquered



satin nickel



black

### ELENA-QRS Slim



white



chrome lacquered



satin nickel



black

### DENVER-QRS Slim



white



chrome lacquered



satin nickel



black



white



satin nickel



chrome lacquered



black

ESCUTCHEON QRS-SLIM  
KEY, CYLINDER  
BATHROOM LOCK

## Handles on a square rose

### QUBIK-QR



chrome lacquered



nickel lacquered



nickel satin velvet



titanium



black

### FOKUS-QR



chrome lacquered



nickel satin velvet



titanium



black

### ONYX-QR



black/white



chrome lacquered / white



chrome lacquered / black

### JARO-QR ECO



chrome lacquered/nickel lacquered

### AXE-QR



black / white

### TIPO-QR



black



nickel lacquered

# HANDLES

NEMO-QR



nickel lacquered

PRESTO-QR



chrome lacquered /  
nickel lacquered

Handles on a round rose

PILLAR-R **NEW**



black / gold

JARO-R ECO



chrome lacquered / nickel lacquered

ESCUTCHEON QUADRO-QR  
KEY, CYLINDER  
BATHROOM LOCK



chrome lacquered / nickel lacquered



chrome



nickel lacquered



titanium



nickel satin velvet



black

MIA-R **NEW**



gold



black



nickel lacquered

ROMANA-R



bronze grafiatto



black



chrome lacquered / nickel lacquered

ONYX-R



chrome lacquered / black



black



chrome lacquered / white

TIPO-R



bronze grafiatto



nickel lacquered

ESCUTCHEON  
KEY, CYLINDER  
BATHROOM LOCK



chrome lacquered / nickel lacquered



bronze grafiatto



chrome lacquered



nickel lacquered



gold



black

MAFF-QR



chrome lacquered / anthracite,  
chrome lacquered / nickel lacquered

ERIS-QR



chrome lacquered / nickel lacquered

ENE-QR



chrome lacquered / nickel lacquered

TIK-QR



chrome lacquered / anthracite

ESCUTCHEON QUANTA-QR  
KEY, CYLINDER  
BATHROOM LOCK



chrome lacquered / nickel lacquered



chrome lacquered / anthracite

ESCUTCHEON KW-QR  
KEY, CYLINDER  
BATHROOM LOCK



chrome lacquered / nickel lacquered



chrome lacquered / nickel lacquered

# HANDLES



## Handles on the backplate

### CANTORO **NEW**

HANDLE, CYLINDER/KEY BATHROOM LOCK



black

nickel lacquered

### JARO-ECO

HANDLE, CYLINDER/KEY BATHROOM LOCK



chrome lacquered / nickel lacquered

### MIA **NEW**

HANDLE, CYLINDER/KEY BATHROOM LOCK



black

nickel lacquered

## Handles for interior entrance doors

### POLANKA



black

nikiel

### SHARK



black

stainless steel

### ONTARIO



UPPER ESCUTCHEON POLANKA

UPPER ESCUTCHEON SHARK

black

stainless steel

## Handles for fire-resistant doors



### SIGMA-QR



stainless steel



ESCUTCHEON SN04, CYLINDER

### AHW



stainless steel



ESCUTCHEON AHW

### UNO



stainless steel



ESCUTCHEON UNO



ESCUTCHEON UNO

black

black

## Hinge covers (1 pc. - hinge)



Chrome lacquered M6

Nickel lacquered M9

Black



3D HINGE CAPS FOR NON-REBATED DOOR  
colour: black

3D HINGE CAPS FOR REVERSIBLE DOORS  
colour: black

## BRASS VENTILATION SLEEVES



Chrome lacquered M6

Nickel lacquered M9

Bras grafiatto M3

## Cylinders for interior doors

Description	Colour
CYLINDER 26/36 M2	Brass
CYLINDER 26/36 M9	Nickel
Cylinder 26/36G M2	Brass
Cylinder 26/36G M9	Nickel
CYLINDER 31/31 M2	Brass
CYLINDER 31/31 M9	Nickel
CYLINDER 31/31G M2	Brass
CYLINDER 31/31G M9	Nickel

## Cylinders for interior entrance door

Nazwa	Colour
CYLINDER 31/46 M6	Chrome
CYLINDER 31/46 M9	Nickel
CYLINDER 31/46G M6	Chrome
CYLINDER 31/46G M9	Nickel
CYLINDER 31G/46 M6	Chrome
CYLINDER 31G/46 M9	Nickel



Hinge 1 pc. for the door leaf and both adjustable and fixed reinforced door frame with a socket.  
Not available in norm CZ and models: Q, X, Y, V, UVERO, VARADERO and full plain rebated H220

CYLINDER AND CYLINDERKNOB "WILKA" with single key system for interior entrance doors.



round steel pull handle  
colour: silver, black



finger pull  
colour: silver, black



Hook lock + escutcheon key/ bathroom lock  
colour: silver, black



oval steel pull handle  
colour: silver, black




# DOOR CLOSER

FOR WALL-MOUNTED OR POCKET SLIDING DOOR SYSTEM

DOOR CLOSER – slows down the movement of the door leaf in the final phase of closing, while sliding it gently towards the door frame. It increases the safety of use of the door and prevents the door leaf from hitting the beam.

For interior door leaves, except for glass door leaves.




# SYNCHRONIZATION

TO DOUBLE SYSTEM

It synchronises the movement of door leaves in the double system: moving one of the door leaves of the system causes a symmetrical movement of the other door leaf.

For interior doors, excluding glass doors.



# SEALS

Pressed seal for the frame of interior doors – set 5 lm.



dedicated to adjustable, fixed door frames  
dedicated to casing door frame

door frame colour	seal colour						
	EXTRA BEIGE	BROWN-GREY	WHITE	BLACK	ZINC GREY	GRAPHITE GREY	SILVER 62
ACACIA MORAVA	ANTHRACITE	WHITE	BLACK MATT	ARCTIC OAK	GRAPHITE MATT	PINE	
MONTANA OAK	ANTIQUE OAK	BIANCO	CARBON OAK	POLAR OAK	STILL		
OIL OAK	OAK CPL	WHITE MATT.	DARK NAVY	SILVER OAK			
OREGON OAK	OLDOAK	NORWEGIAN OAK	CLAY	GRAU			
SAND OAK CPL	MUSCATO WALNUT	CANADIAN OAK		PARIS			
CASHMERE	COPPER						
SONOMA OAK	PALERMO WALNUT						
LATTE OAK							
BAVARIA OAK							
ASH CPL							
WHITE WALNUT							
ITALIAN WALNUT							
CARAMEL OAK							
AUREA OAK							
ALPIN OAK							

RED	BLUE	YELLOW
HAVANA	PANAMA	BAHAMA

NOTE: A colour difference may occur between the seal used in the frame and the folding door leaf.

# MASKING BANDS



Masking band  
60x8x5500 mm, 5,5 lm

FF, 3D, CPL, PP



Soft masking band  
70x12x5500 mm, 5,5 lm

FF, 3D, CPL, PP



Masking quarter round  
18x18x5500 mm

FF, 3D, CPL, PP

1 set per side of the door frame

# ELECTRIC STRIKE

Available types of 12 V electric strikes:

- 1410-12 AC/DC (normally closed, apply voltage to open)
- 1411-12 DC (normally open, apply voltage to close)
- 1420-12 AC/DC (with switch, normally closed, apply voltage to open, manual switch by moving the latch)

The electric strike is available for the following door frames:

- adjustable V-RETTO standard, p. 188
- adjustable standard, p. 190-191
- fixed, p. 193




# AUTOMATIC THRESHOLD



Door leaf with automatic threshold



Door leaf without automatic threshold  
AUTOMATIC THRESHOLD – APPLICABLE TO FRAME AND PANEL DOOR LEAVES




- Mounted in the lower part of the door leaf
- Automatic, gradual descent when closing the door
- Increased sound absorption
- Accurate, constant seal pressure enables opting out of the standard threshold
- Simple pressure force adjustment"


# TECHNICAL INFORMATION



## RIGHT DOOR LEAF



## LEFT DOOR LEAF



## REBATED DOOR LEAF



## NON-REBATED DOOR LEAF




## REVERSE DOOR LEAF

OPENING DIRECTION OF REVERSE DOOR LEAVES – P. 110


## REBATED SINGLE DOOR LEAVES

Voster door leaves are compatible with all door frames in accordance with Polish building norm.

- Standard door leaf width: “60”, “70”, “80”, “90”.
- “100” width – frame door leaves (not applicable to Kubus, Lupus, Mediolan, Evi, Piano, Tago, Fado), additional charge.
- “100” width – panel door leaf (not applicable to Perla model), additional charge.
- The lock features the single key turn option.
- Since the decorative foil covering our products represents the grain of the wood, which does not have identical grains and colours on the entire length and width, the decorative foil does not have identical colours and grains in the longitudinal and transverse direction.
- Plain door leaves (honeycomb) width 100 and door leaves reinforced with solid board width 60-100 are equipped with three hinges.



## REBATED SINGLE DOOR LEAVES H220



**It is not allowed to cut door leaves:** sliding, double, folding, with an automatic threshold, glass door models, or those with glass inserts within the cutting area, door leaves with lamellas, intarsia, and full-height pull handles.

For framed door leaves, the Polish norm allows cutting by up to 4 cm (Loft model 2 cm), and the Czech norm allows cutting by up to 3 cm.


Cutting the door leaf to the above-mentioned heights does not result in a significant loss of the structural strength parameters.

Cutting of panel door leaves with a full panel filling is allowed up to 4 cm.


## NON-REBATED SINGLE DOOR LEAVES




- Standard door leaf width: "60", "70", "80", "90".
  - "100" width - non-rebated frame door leaves: additional charge.
  - "100" width - panel door leaf: additional charge.
- When choosing the door in size "100", it is recommended to use a 3rd hinge.
- Since the decorative foil covering our products represents the grain of the wood, which does not have identical grains and colours on the entire length and width, the decorative foil does not have identical colours and grains in the longitudinal and transverse direction.
  - There may be a slight colour and structure difference between the ABS edge and the door leaf surface.



## NON-REBATED SINGLE DOOR LEAVES H220



## REVERSE




## FRAME DOOR LEAVES PLATINIUM FRAME DOOR LEAVES





- Massive structure
- 3 screw-in 1-pintle hinges
- 3 adjustable 2-pintle hinges - PLATINIUM COLLECTION
- Innovative way to cover frames: no edge.
- Softwood stiles - PLATINIUM COLLECTION
- Rigid, stable structure.
- High resistance to mechanical impacts.
- No glazing bead.
- Tempered glass.
- VSG glass - option for an extra charge.
- DARK GREY glass - option for an extra charge.
- The smooth side of the glass is on the wider side of the door leaf.
- The glass can be made reversed - no extra charge.
- The lock features the single key turn option.
- The frame door leaf can be undercut by oneself up to 4 cm in norm PL (LOFT door leaf - max. 2 cm), 3 cm in norm CZ, without losing the warranty - not applicable to sliding door leaves and double-leave doors.


- In rebated door leaves, the smooth side of the glass is positioned on the wider side of the leaf. In non-rebated door leaves, the smooth side of the glass is positioned on the opening side of the leaf.
- Since the decorative foil covering our products represents the grain of the wood, which does not have identical grains and colours on the entire length and width, the decorative foil does not have identical colours and grains in the longitudinal and transverse direction. The manufacturer reserves that there may be differences in the translucency and colour of the glasses made using the screen printing technology compared to the glasses installed in exhibition door leaves or earlier production batches of door leaves.
- The door leaf can be made without drill for the key (economy lock) - no extra charge.
- The centre components of the door leaf MOBI, DUO can be made of both solid mdf board or cellular wood board, resulting in a difference in the weight of the door leaf. However, it has no impact on product quality and strength.



## REBATED DOOR LEAF IN NORM CZ



BOTTOM RAIL



BOTTOM RAIL  
NORM CZ


Bottom rail height in norm CZ:  
door leaf DUO: 359 mm (406 mm PL),  
rebated door leaf MOBI: 342 mm (389 mm PL),  
door leaf VINCI, BELLO, MEDIOLAN:  
133 mm (180 mm PL).  
Non-rebated door leaves in norm CZ -  
lower profile with 47 mm undercut.  
Door leaves: MONO, VENTO (IV,  
SPHAGETTI), PLATO - not available in  
the norm CZ.




## PANEL DOOR LEAVES

### Options for stabilizing filling

### FRAME DOOR LEAVES




### VENTILATION SOLUTIONS



VENTILATION UNDERCUT OF MODERNO, LAMELO, MAGNETIC L, INTARSIA 40



### RECUPERATIVE SHORTCUT




Recuperation requirements: According to the applicable technical conditions for buildings where a recuperation system is used, it is recommended that interior doors be equipped with a gap placed at the bottom of the door leaf with an area no smaller than 0.008 m<sup>2</sup>. This requirement is met for doors with a size of "80" with a standard clearance. For dimensions below this, it is recommended to use one of the available ventilation options or to undercut the door leaf.

Requirements for sanitary rooms: Interior doors may be used in sanitary rooms if they open outward, have at least 0.8 m in width, 2 m in height in the clear opening of the frame, and provide an air intake in the lower part of the door to the sanitary room, which is not smaller than 0.022 m<sup>2</sup>. In the Voster offer, for panel and frame door leaves, there is a recuperative undercut that meets the above condition. These door leaves are 18 mm shorter than standard ones, while maintaining the standard frame height.\*

\*except for glass doors, Magnetic L, folding, sliding, double-leaf doors, fire-resistant, openwork, and doors with an automatic threshold.

### SLIDING DOOR LEAF



\* applicable to LOFT door leaves




sliding door leaves – 360° cover of stiles




### Panel door leaves structure


Panel door leaves construction



Rebated door leaf Bulaj



Non-rebated door leaf Bulaj



# DOUBLE DOOR



## Rebated double doors

Dimension symbol	dimensions [mm]		
	SZ	SW	Combination: active leaf (A) + passive leaf (B)
100D	1078	1052	744+344*, 644+444
110D	1178	1152	844+344*, 744+444, 644+544
120	1278	1252	944+344*, 844+444, 744+544, 644+644
130	1378	1352	1044+344*, 944+444, 844+544, 744+644, 644+744
140	1478	1452	1044+444, 944+544, 844+644, 744+744, 644+844
150	1578	1552	1044+544, 944+644, 844+744, 744+844, 644+944
160	1678	1652	1044+644, 944+744, 844+844, 744+944, 644+1044
170	1778	1752	1044+744, 944+844, 844+944, 744+1044
180	1878	1852	1044+844, 944+944, 844+1044
190	1978	1952	1044+944, 944+1044
200	2078	2052	1044+1044

\*dimension "30" (344) only for full plain door leaves




Price of double-leaf doors = price of the door leaf x2 + surcharge

Frame door leaves with the width of "40" and "50" do not have tempered glass. There may be a colour difference in the glass.

Panel door leaves width "30", "40", "50", available without glazing.


Frame door leaf collections: Mediolan, Bello, Kubus, Rocco, Tango, Evi, Piano, Kano, Fado, Varadero, Uvero are not available in W "40", "50".

## Rebated double doors - fixed door frame



	dimensions (mm)			
	A	B	C	D
100D	1036	1058	1124	1148
110D	1136	1158	1224	1248
120	1236	1258	1324	1348
130	1336	1358	1424	1448
140	1436	1458	1524	1548
150	1536	1558	1624	1648
160	1636	1658	1724	1748
170	1736	1758	1824	1848
180	1836	1858	1924	1948
190	1936	1958	2024	2048
200	2036	2058	2124	2148

## Rebated double doors- adjustable door frame



	dimensions (mm)					
	A'	B'	C'	D'	E' (dla 60)	E' (dla 80)
100D	1036	1058	1080	1110	1178	1218
110D	1136	1158	1180	1210	1278	1318
120	1236	1258	1280	1310	1378	1418
130	1336	1358	1380	1410	1478	1518
140	1436	1458	1480	1510	1578	1618
150	1536	1558	1580	1610	1678	1718
160	1636	1658	1680	1710	1778	1818
170	1736	1758	1780	1810	1878	1918
180	1836	1858	1880	1910	1978	2018
190	1936	1958	1980	2010	2078	2118
200	2036	2058	2080	2110	2178	2218

## Non-rebated double doors

Dimension symbol	dimensions [mm]	
	SZ	Combination: active leaf (A) + passive leaf (B)
100D	1078	744+344*, 644+444
110 D	1178	844+344*, 744+444, 644+544
120	1278	944+344*, 844+444, 744+544, 644+644
130	1378	1044+344*, 944+444, 844+544, 744+644, 644+744
140	1478	1044+444, 944+544, 844+644, 744+744, 644+844
150	1578	1044+544, 944+644, 844+744, 744+844, 644+944
160	1678	1044+644, 944+744, 844+844, 744+944, 644+1044
170	1778	1044+744, 944+844, 844+944, 744+1044
180	1878	1044+844, 944+944, 844+1044
190	1978	1044+944, 944+1044
200	2078	1044+1044

\*dimension "30" (344) only for full plain door leaves

Price of double-leaf doors = price of the door leaf x2 + surcharge

Frame door leaves with the width of "40" and "50" do not have tempered glass. There may be a colour difference in the glass.


Frame door leaf collections: Mediolan, Bello, Kubus, Rocco, Tango, Evi, Piano, Kano, Fado, Varadero, Uvero are not available in width "40", "50".

The LOFT and MAGNETIC collection are not available for double door.




Dimension symbol	dimensions [mm]			
	A	B	C	D
100D	1062	1084	1150	1174
110 D	1162	1184	1250	1274
120	1262	1284	1350	1374
130	1362	1384	1450	1474
140	1462	1484	1550	1574
150	1562	1584	1650	1674
160	1662	1684	1750	1774
170	1762	1784	1850	1874
180	1862	1884	1950	1974
190	1962	1984	2050	2074
200	2062	2084	2150	2174

## Non-rebated double doors - V-retto fixed door frame



## Non-rebated double doors - V-retto adjustable door frame



Dimension symbol	dimensions [mm]				
	A'	B'	C'	D'	E'
100D	1062	1084	1106	1136	1244
110D	1162	1184	1206	1236	1344
120	1262	1284	1306	1336	1444
130	1362	1384	1406	1436	1544
140	1462	1484	1506	1536	1644
150	1562	1584	1606	1636	1744
160	1662	1684	1706	1736	1844
170	1762	1784	1806	1836	1944
180	1862	1884	1906	1936	2044
190	1962	1984	2006	2036	2144
200	2062	2084	2106	2136	2244

## Double door opening directions

Passive left door leaf / active right door leaf



Active left door leaf / passive right door leaf





Thickness 4 mm.  
Tempered glass.  
Smooth on both sides.

TRANSPARENT GRAPHITE GLASS



Thickness 4 mm.  
Tempered glass.  
There is a smooth side and a matt side.

WHITE PAINTED GLASS




Thickness 4 mm.  
Tempered glass.  
Smooth on both sides.

TRANSPARENT GLASS



Thickness 4 mm.  
Safe glass.  
Smooth on both sides.

WHITE VSG 2.2.1 (2x2 mm) GLASS



Thickness 4 mm.  
Tempered glass.  
There is a smooth side and a matt side.

DARK GREY, GRAPHITE MATT GLASS



Thickness 4 mm.  
Tempered glass with a white application, which is applied to the opening side of the leaf.  
Smooth on both sides.

GLASS WITH APPLICATION LOFT "20", "30"



Thickness 4 mm.  
Tempered glass.  
There is a smooth side and a matt side.

BLACK PAINTED GLASS



Thickness 4 mm.  
Tempered glass.  
There is a smooth side and a matt side.

TEMPERED GLASS



Thickness 4 mm.  
Safe glass.  
Smooth on both sides.

BLACK VSG 2.2.1 (2x2 mm) GLASS



Thickness 4 mm.  
Tempered glass with a black application applied to the matt side.  
There is a smooth side and a matt side.

GLASS WITH KUBUS APPLICATION



Thickness 4 mm.  
Tempered glass with a white application applied to the matt side.  
There is a smooth side and a matt side.

GLASS WITH TANGO APPLICATION



Thickness 8 mm.  
Tempered glass with a white application applied to the matt side.  
There is a smooth side and a matt side.

GLASS WITH SPAGHETTI APPLICATION



Thickness 8 mm.  
Tempered glass.  
There is a smooth side and a matt side.

PLATO WHITE GLASS



Thickness 8 mm.  
Tempered glass.  
Smooth on both sides.

PLATO TRANSPARENT GRAPHITE GLASS



Thickness 8 mm.  
Tempered glass with transparent application.  
There is a smooth side and a matt side.

GLASS WITH VENTO IV APPLICATION



Thickness 8 mm.  
Tempered glass.  
Smooth on both sides.

PLATO TRANSPARENT GLASS



Thickness 4 mm.  
Tempered glass.  
There is a smooth glossy side.

BLACK LACOBEL GLASS



Thickness 4 mm.  
There is a smooth side and a matt side.

SATIN GLASS


\* The presented photos are for illustrative purposes only; transparency depends on the intensity of light and the proximity of objects. Information about glazing availability can be found individually for each model.

# ADJUSTABLE DOOR FRAME V-RETTO (TUNNEL TYPE)



DIMENSIONS (MM)

DOOR FRAME WIDTH	A	B	C	D	E	F	G	H
60	602	624	686	784	2018 PL 1971 CZ 2188 for H220	2029 PL 1982 CZ 2199 for H220	2109 PL 2062 CZ 2279 for H220	2060 PL 2013 CZ 2210 for H220
70	702	724	786	884				
80	802	824	886	984				
90	902	924	986	1084				
100	1002	1024	1086	1184				
105	1052	1074	1136	1234				
110	1102	1124	1186	1284				
115	1152	1174	1236	1334				
120	1202	1224	1286	1384				
125	1252	1274	1336	1434				
130	1302	1324	1386	1484				
135	1352	1374	1436	1534				
140	1402	1424	1486	1584				
145	1452	1474	1536	1634				
150	1502	1524	1586	1684				
155	1552	1574	1636	1734				
160	1602	1624	1686	1784				
165	1652	1674	1736	1834				
170	1702	1724	1786	1884				
175	1752	1774	1836	1934				
180	1802	1824	1886	1984				
185	1852	1874	1936	2034				
190	1902	1924	1986	2084				
195	1952	1974	2036	2134				
200	2002	2024	2086	2184				




# ADJUSTABLE DOOR FRAME (TUNNEL TYPE)



DIMENSIONS (MM)


DOOR FRAME WIDTH	A	B	C	D1 (BAND 60)	D2 (BAND 80)	E	F	G1 (BAND 60)	G2 (BAND 80)	H
60	602	624	686	744	784	2018 PL 1971 CZ	2029 PL 1982 CZ	2089 PL 2042 CZ	2109 PL 2062 CZ	2060 PL 2013 CZ
70	702	724	786	844	884					
80	802	824	886	944	984					
90	902	924	986	1044	1084					
100	1002	1024	1086	1144	1184					
105	1052	1074	1136	1194	1234					
110	1102	1124	1186	1244	1284					
115	1152	1174	1236	1294	1334					
120	1202	1224	1286	1344	1384					
125	1252	1274	1336	1394	1434					
130	1302	1324	1386	1444	1484					
135	1352	1374	1436	1494	1534					
140	1402	1424	1486	1544	1584					
145	1452	1474	1536	1594	1634					
150	1502	1524	1586	1644	1684					
155	1552	1574	1636	1694	1734					
160	1602	1624	1686	1744	1784					
165	1652	1674	1736	1794	1834					
170	1702	1724	1786	1844	1884					
175	1752	1774	1836	1894	1934					
180	1802	1824	1886	1944	1984					
185	1852	1874	1936	1994	2034					
190	1902	1924	1986	2044	2084					
195	1952	1974	2036	2094	2134					
200	2002	2024	2086	2144	2184					



# FIXED DOOR FRAME (TUNNEL TYPE)




DIMENSIONS (MM)						
DOOR FRAME WIDTH	A	B	C	D	E	F
60	602	690	714	2018 PL 1971 CZ	2062 PL 2016 CZ	2074 PL 2028 CZ
70	702	790	814			
80	802	890	914			
90	902	990	1014			
100	1002	1090	1114			
105	1052	1140	1164			
110	1102	1190	1214			
115	1152	1240	1264			
120	1202	1290	1314			
125	1252	1340	1364			
130	1302	1390	1414			
135	1352	1440	1464			
140	1402	1490	1514			
145	1452	1540	1564			
150	1502	1590	1614			
155	1552	1640	1664			
160	1602	1690	1714			
165	1652	1740	1764			
170	1702	1790	1814			
175	1752	1840	1864			
180	1802	1890	1914			
185	1852	1940	1964			
190	1902	1990	2014			
195	1952	2040	2064			
200	2002	2090	2114			



# CASING DOOR FRAME (TUNNEL TYPE)



DIMENSIONS (MM)								
DOOR FRAME WIDTH	A	B	C	D (BAND 80)	E	F	G2 (BAND 80)	H
60	548	570	598	730	1991 PL 1944 CZ	2002 PL 1955 CZ	2082 PL 2035 CZ	2018 PL 1971 CZ
70	648	670	698	830				
80	748	770	798	930				
90	848	870	898	1030				
100	948	970	998	1130				
105	-	-	-	-				
110	1048	1070	1098	1230				
115	-	-	-	-				
120	1148	1170	1198	1330				
125	-	-	-	-				
130	1248	1270	1298	1430				
135	-	-	-	-				
140	1348	1370	1398	1530				
145	-	-	-	-				
150	1448	1470	1498	1630				
155	-	-	-	-				
160	1548	1570	1598	1730				
165	-	-	-	-				
170	1648	1670	1698	1830				
175	-	-	-	-				
180	1748	1770	1798	1930				
185	-	-	-	-				
190	1848	1870	1898	2030				
195	-	-	-	-				
200	1948	1970	1998	2130				



PERLA  
p. 130-131



INTARSIA  
p. 126-129



MAGNETIC  
p. 120-121



SELVA  
p. 166-169



The arrangements show door leaves with a width of "80".  
For other widths, the proportions of glazing and glazing profiles will differ.  
The presented photos and decors presented may differ in colour from the original products.  
Before installing the door, please read the installation instructions and warranty conditions.  
Voster reserves the right to change prices and offers without prior notice.



FACEBOOK



[WWW.FACEBOOK.COM/VOSTER.DRZWI/](https://www.facebook.com/voster.drzwi/)



INSTAGRAM



[WWW.INSTAGRAM.COM/VOSTER\\_DRZWI/](https://www.instagram.com/voster_drzwi/)



LINKEDIN



[WWW.LINKEDIN.COM/COMPANY/VOSTER](https://www.linkedin.com/company/voster)



Zarzecze, ul. Mickiewicza 155, 37-400 Nisko

tel. +48 15 870 14 44, +48 15 870 12 54

handlowy@voster.pl [www.voster.pl](http://www.voster.pl)